

Group 1

Drawer cabinets







Cabinet housings: Quality in detail!

Cabinet housings:

Housing sides and bases are welded and painted with high resistance products, which are inert and environmentally friendly. Available in different widths and heights with their internal sides slotted in increments of 25 mm to allow drawers and shelves to be adjusted accordingly.

Further accessories include safety upstands raised on 3 sides with rubber mat creating a work-surface, base plinths and fork-lift pallet bases for easy transportation and fixed/swivel braked wheel castors converting a static cabinet to mobile.

Drawers:

The drawers fitted into cabinet housings are available in 2 versions (simple 85-90% extension or total 100% extension) with an excellent flow and slide system utilising sealed steel roller bearings and drawer carriages painted using the cathoporesis system.

The drawers are manufactured ensuring geometric custom sub-division using partitioning materials: slotted dividers, dividers, plastic boxes, troughs, foam liners etc.




Centralised lock:

Centralised lock included, cylinder lock and 2 keys included.
Master keys are available.



Simple extension drawers - S

The drawers flow on quiet and low friction steel guide runners 3mm thick, with sealed steel roller bearings producing 85-90% drawer extension.
Maximum load: 100 kg.




Total extension drawers - T

An additional sliding carriage ensures the drawers flow smoothly on the low friction steel guide runners 3mm thick, with sealed steel roller bearings producing 100% drawer extension.
Maximum load: 200 kg.




Single drawer opening system

All the drawer cabinet housings have a safety single drawer opening system. This mechanism allows the opening of only one drawer at any one time, thus avoiding the weight of the material in opened drawers tipping the cabinet housing over onto the user. Even with this system we recommend that all cabinet housings are fixed to the ground or to the wall using suitable anchoring materials.



Drawer front aluminium profiles

The anodised aluminium profile allows the insertion of a paper label and clear cellophane covers increasing one's organisation and ensuring quick identification of drawer contents. The profile can be easily removed in case of damage, therefore negating the need for full drawer replacement.



Individual drawer locking system

This device is made of a durable plastic catch that allows to lock/unlock an individual drawer within a complete drawer unit. Primarily used with drawers on mobile and roller cabinet housings.



Partitioning materials

Components for optimising the sub-division of the internal drawer layout: slotted dividers, dividers, plastic boxes, troughs, foam bases etc. Easy to fit and assemble, as the drawers have internal side slots and perforated drawer bases. Ensuring high-density organisation, faster retrieval and care for stored items.



Series 10

27x36 Eh

Drawer cabinets

Width: 564 mm - Depth: 725 mm




Drawer cabinets
see page 17



Mobile drawer cabinets
see page 26



Partitioning material
see page 30



Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010





5-year Guarantee



For your safety all cabinets
must be anchored using
floor bolts



Fixing material
for cabinets
Part. No.
06-00030






Cabinets housings

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly.

Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

| Width mm | Depth mm | Height mm | Usable height mm | Part. No. |
|----------|----------|-----------|------------------|-----------------|
| 564 | 725 | 283 | 200 | 10-20280 |
| 564 | 725 | 383 | 300 | 10-20380 |
| 564 | 725 | 533 | 450 | 10-20530 |
| 564 | 725 | 650 | 550 | 10-20650 |
| 564 | 725 | 700 | 600 | 10-20700 |
| 564 | 725 | 800 | 700 | 10-20800 |
| 564 | 725 | 825 | 725 | 10-20820 |
| 564 | 725 | 850 | 750 | 10-20850 |
| 564 | 725 | 1000 | 900 | 10-21000 |

Colours: see colour chart at the bottom of the page



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

| Front height mm | Usable height mm | Lateral height mm | Load capacity kg * | Part. No. |
|-----------------|------------------|-------------------|--------------------|-----------------|
| 50 S | 36 | 33 | 60 | 10-23050 |
| 75 S | 61 | 52 | 80 | 10-23075 |
| 75 T | 54 | 52 | 100 | 10-23076 |
| 100 S | 86 | 77 | 100 | 10-23100 |
| 100 T | 79 | 77 | 100 | 10-23101 |
| 125 S | 111 | 77 | 100 | 10-23125 |
| 125 T | 104 | 77 | 100 | 10-23126 |
| 150 S | 136 | 127 | 100 | 10-23150 |
| 150 T | 129 | 127 | 100 | 10-23151 |
| 200 S | 186 | 177 | 100 | 10-23200 |
| 200 T | 179 | 177 | 100 | 10-23201 |
| 250 S | 236 | 177 | 100 | 10-23250 |
| 250 T | 229 | 177 | 100 | 10-23251 |
| 300 S | 286 | 277 | 100 | 10-23300 |
| 300 T | 279 | 277 | 100 | 10-23301 |


S = normal extension: 85 - 90% extension

T = full extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Upstand raised edges on 3 sides

Made of high-quality steel

| Width mm | Depth mm | Height mm | Upstand with mat Part. No. | Smooth rubber mat Part. No. |
|----------|----------|-----------|----------------------------|-----------------------------|
| 564 | 725 | 20 | 10-20025 | - |
| 559 | 720 | 2 | - | 10-20022 |

Colour: Black




Cabinet bases

Made of high-quality steel

| | Width mm | Depth mm | Height mm | Part. No. |
|----------------------|----------|----------|-----------|-----------------|
| 1 Base plinth | 564 | 693 | 50 | 05-42705 |
| 1 Base plinth | 564 | 693 | 100 | 05-42710 |
| 1 Base plinth | 564 | 693 | 130 | 05-42713 |

Colour: Black



Card insert and cellophane (spare part)

For drawers: 27 Eh

Part. No. **06-00275**

Kit: 30 pieces



Partitioning material see page 30



Load capacity is intended for evenly distributed loads

Standard colours:

| RAL 5012 | RAL 6011 | RAL 7035 | RAL 9010 |
|----------|----------|----------|----------|
| | | | |



Series 10

27x36 Eh




Cabinet housings

Made of high-quality sheet steel. Housing sides and bases are welded with high resistance products, environmentally friendly. Available in 2 different heights with uprights slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Equipped with locking bar.

| Width mm | Depth mm | Height mm | Usable height mm | Part. No. |
|----------|----------|-----------|------------------|-----------|
| 564 | 725 | 850 | 750 | 10-20860 |
| 564 | 725 | 1000 | 900 | 10-21010 |

Colours: see colour chart at the bottom of the page



Perforated back panel


Made of high-quality steel

| Width mm | Height mm | Usable height mm | Part. No. |
|----------|-----------|------------------|-----------|
| 564 | 1104 | 608 | 10-20100 |

Colour: Light grey RAL 7035




Hooks see page 249



Work surfaces for cabinets

| Width mm | Depth mm | Thickness mm | Plastic laminated Part. No. | Linoplex Part. No. |
|----------|----------|--------------|-----------------------------|--------------------|
| 564 | 750 | 30 | 10-20014 | 10-20016 |

Colour: Plastic laminated/Linoplex Light grey




Adjustable shelf

Made of high-quality steel. Supports included

| Usable width mm | Usable depth mm | Height mm | Load capacity kg | Part. No. |
|-----------------|-----------------|-----------|------------------|-----------|
| 505 | 620 | 35 | 70 | 10-20028 |

Colour: Light grey RAL 7035



Retractable shelf

Made of high-quality steel

| Usable width mm | Usable depth mm | Height mm | Extension % | Load capacity kg | Part. No. |
|-----------------|-----------------|-----------|-------------|------------------|-----------|
| 434 | 612 | 100 | 85 | 70 | 10-23980 |

Colour: Light grey RAL 7035



Lower shelf

Made of high-quality steel

| Usable width mm | Usable depth mm | Height mm | Load capacity kg | Part. No. |
|-----------------|-----------------|-----------|------------------|-----------|
| 546 | 615 | 55 | 50 | 10-20034 |

Colour: Light grey RAL 7035



Doors for cabinets

Made of high-quality steel

To be fitted to the cabinet, with safety cylinder lock and 2 keys (same number as in the cabinet).

| Front height mm | Width mm | Right hand opening Part. No. | Left hand opening Part. No. |
|-----------------|----------|------------------------------|-----------------------------|
| 450 | 508 | 10-22451 | 10-22455 |
| 600 | 508 | 10-22601 | 10-22605 |

Colours: see colour chart at the bottom of the page

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 283 mm



01 11
50 S 50 S
150 S 150 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 283 mm | 10-20280-01 |
| | 10-20280-11 |
| 2 Drawers | |



02 12
100 S 100 T
100 S 100 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 283 mm | 10-20280-02 |
| | 10-20280-12 |
| 2 Drawers | |



03 13
50 S 50 S
50 S 50 S
100 S 100 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 283 mm | 10-20280-03 |
| | 10-20280-13 |
| 3 Drawers | |

Height: 383 mm



01 11
100 S 100 T
200 S 200 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 383 mm | 10-20380-01 |
| | 10-20380-11 |
| 2 Drawers | |



02 12
150 S 150 T
150 S 150 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 383 mm | 10-20380-02 |
| | 10-20380-12 |
| 2 Drawers | |



03 13
50 S 50 S
100 S 100 T
150 S 150 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 383 mm | 10-20380-03 |
| | 10-20380-13 |
| 3 Drawers | |



04 14
75 S 75 T
75 S 75 T
150 S 150 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 383 mm | 10-20380-04 |
| | 10-20380-14 |
| 3 Drawers | |



08 18
100 S 100 T
100 S 100 T
100 S 100 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 383 mm | 10-20380-08 |
| | 10-20380-18 |
| 3 Drawers | |



05 15
50 S 50 S
50 S 50 S
50 S 50 S
150 S 150 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 383 mm | 10-20380-05 |
| | 10-20380-15 |
| 4 Drawers | |



06 16
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 383 mm | 10-20380-06 |
| | 10-20380-16 |
| 4 Drawers | |



Drawers:

S = load capacity:60/100 kg - extension 85-90%
T = load capacity:100 kg - extension 100%



Partitioning material
see page 30

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010





Series 10

27x36 Eh

Height: 533 mm



01 11
 50 S 50 S
 75 S 75 T
 125 S 125 T
 200 S 200 T

| Height: | Part. No. |
|-----------|-------------|
| 533 mm | 10-20530-01 |
| | 10-20530-11 |
| 4 Drawers | |



02 12
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T

| Height: | Part. No. |
|-----------|-------------|
| 533 mm | 10-20530-02 |
| | 10-20530-12 |
| 5 Drawers | |



03 13
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T

| Height: | Part. No. |
|-----------|-------------|
| 533 mm | 10-20530-03 |
| | 10-20530-13 |
| 6 Drawers | |

Height: 650 mm



01 11
 100 S 100 T
 150 S 150 T
 300 S 300 T

| Height: | Part. No. |
|-----------|-------------|
| 650 mm | 10-20650-01 |
| | 10-20650-11 |
| 3 Drawers | |




07 17
 100 S 100 T

 RS S RS S

| Height: | Part. No. |
|---|-------------|
| 650 mm | 10-20650-07 |
| | 10-20650-17 |
| 1 Drawer 1 Retractable shelf 1 Door 450mmh right hand opening | |

Standard colours:



Drawers:

S = load capacity:60/100 kg - extension 85-90%
T = load capacity:100 kg - extension 100%

Standard examples:

Height: 700 mm



01 11
75 S 75 T
100 S 100 T
125 S 125 T
300 S 300 T

| Height: | Part. No. |
|-----------|-------------|
| 700 mm | 10-20700-01 |
| | 10-20700-11 |
| 4 Drawers | |



08 18
100 S 100 T
150 S 150 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|-----------|-------------|
| 700 mm | 10-20700-08 |
| | 10-20700-18 |
| 4 Drawers | |



02 12
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|-----------|-------------|
| 700 mm | 10-20700-02 |
| | 10-20700-12 |
| 5 Drawers | |



03 13
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
200 S 200 T

| Height: | Part. No. |
|-----------|-------------|
| 700 mm | 10-20700-03 |
| | 10-20700-13 |
| 6 Drawers | |



04 14
50 S 50 S
50 S 50 S
75 S 75 T
75 S 75 T
75 S 75 T
75 S 75 T
75 S 75 T
200 S 200 T

| Height: | Part. No. |
|-----------|-------------|
| 700 mm | 10-20700-04 |
| | 10-20700-14 |
| 7 Drawers | |



05 15
75 S 75 T
75 S 75 T

RS S RS S

| Height: | Part. No. |
|----------------------------------|-------------|
| 700 mm | 10-20700-05 |
| | 10-20700-15 |
| 2 Drawers | |
| 1 Retractable shelf | |
| 1 Door 450mmh right hand opening | |



06





AS

RS S

| Height: | Part. No. |
|----------------------------------|-------------|
| 700 mm | 10-20700-06 |
| 1 Adjustable shelf | |
| 1 Retractable shelf | |
| 1 Door 600mmh right hand opening | |



Partitioning material
see page 30

Standard colours:
RAL 5012  RAL 6011  RAL 7035  RAL 9010 



Series 10

27x36 Eh

1
Height: 800 mm



10 21
100 S 100 T
100 S 100 T
200 S 200 T
300 S 300 T

| Height: | Part. No. |
|-----------|-------------|
| 800 mm | 10-20800-10 |
| | 10-20800-21 |
| 4 Drawers | |



01 11
50 S 50 S
100 S 100 T
100 S 100 T
150 S 150 T
300 S 300 T

| Height: | Part. No. |
|-----------|-------------|
| 800 mm | 10-20800-01 |
| | 10-20800-11 |
| 5 Drawers | |



02 12
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|-----------|-------------|
| 800 mm | 10-20800-02 |
| | 10-20800-12 |
| 6 Drawers | |



03 13
50 S 50 S
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|-----------|-------------|
| 800 mm | 10-20800-03 |
| | 10-20800-13 |
| 6 Drawers | |



04 14
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
150 S 150 T

| Height: | Part. No. |
|-----------|-------------|
| 800 mm | 10-20800-04 |
| | 10-20800-14 |
| 7 Drawers | |



07 17
100 S 100 T

AS AS

RS S RS S

| Height: | Part. No. |
|---|-------------|
| 800 mm | 10-20800-07 |
| | 10-20800-17 |
| 1 Drawer 1 Adjustable shelf 1 Retractable shelf 1 Door 600mmh right hand opening | |



06 16
100 S 100 T
150 S 150 T

RS S RS S

| Height: | Part. No. |
|--|-------------|
| 800 mm | 10-20800-06 |
| | 10-20800-16 |
| 2 Drawers 1 Retractable shelf 1 Door 450mmh right hand opening | |

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



Drawers:

S = load capacity:60/100 kg - extension 85-90%
T = load capacity:100 kg - extension 100%

Standard examples:

Height: 825 mm



08 18
100 S 100 T
125 S 125 T
200 S 200 T
300 S 300 T

| Height: | Part. No. |
|-----------|-------------|
| 825 mm | 10-20820-08 |
| | 10-20820-18 |
| 4 Drawers | |



01 11
50 S 50 S
100 S 100 T
125 S 125 T
150 S 150 T
300 S 300 T

| Height: | Part. No. |
|-----------|-------------|
| 825 mm | 10-20820-01 |
| | 10-20820-11 |
| 5 Drawers | |



02 12
75 S 75 T
75 S 75 T
100 S 100 T
125 S 125 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|-----------|-------------|
| 825 mm | 10-20820-02 |
| | 10-20820-12 |
| 6 Drawers | |



03 13
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
125 S 125 T
150 S 150 T
150 S 150 T

| Height: | Part. No. |
|-----------|-------------|
| 825 mm | 10-20820-03 |
| | 10-20820-13 |
| 7 Drawers | |



04 14
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
100 S 100 T
125 S 125 T

| Height: | Part. No. |
|-----------|-------------|
| 825 mm | 10-20820-04 |
| | 10-20820-14 |
| 8 Drawers | |



06 16
125 S 125 T

AS AS

RS S RS S

| Height: | Part. No. |
|---|-------------|
| 825 mm | 10-20820-06 |
| | 10-20820-16 |
| 1 Drawer 1 Adjustable shelf 1 Retractable shelf 1 Door 600mmh right hand opening | |



05 15
125 S 125 T
150 S 150 T

RS S RS S

| Height: | Part. No. |
|--|-------------|
| 825 mm | 10-20820-05 |
| | 10-20820-15 |
| 2 Drawers 1 Retractable shelf 1 Door 450mmh right hand opening | |







07 17
75 S 75 T
100 S 100 T
100 S 100 T

RS S RS S

| Height: | Part. No. |
|--|-------------|
| 825 mm | 10-20820-07 |
| | 10-20820-17 |
| 3 Drawers 1 Retractable shelf 1 Door 450mmh right hand opening | |



Partitioning material
see page 30

Standard colours:
RAL 5012  RAL 6011  RAL 7035  RAL 9010 



Series 10

27x36 Eh

Height: 850 mm



08 18
 100 S 100 T
 150 S 150 T
 200 S 200 T
 300 S 300 T

| Height: | Part. No. |
|-----------|-------------|
| 850 mm | 10-20850-08 |
| | 10-20850-18 |
| 4 Drawers | |



01 11
 50 S 50 S
 100 S 100 T
 100 S 100 T
 200 S 200 T
 300 S 300 T

| Height: | Part. No. |
|-----------|-------------|
| 850 mm | 10-20850-01 |
| | 10-20850-11 |
| 5 Drawers | |



02 12
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 125 S 125 T
 250 S 250 T

| Height: | Part. No. |
|-----------|-------------|
| 850 mm | 10-20850-02 |
| | 10-20850-12 |
| 6 Drawers | |



03 13
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T

| Height: | Part. No. |
|-----------|-------------|
| 850 mm | 10-20850-03 |
| | 10-20850-13 |
| 7 Drawers | |



04 14
 50 S 50 S
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 200 S 200 T

| Height: | Part. No. |
|-----------|-------------|
| 850 mm | 10-20850-04 |
| | 10-20850-14 |
| 8 Drawers | |



06 16
 150 S 150 T

 AS AS

 RS S RS S

| Height: | Part. No. |
|---|-------------|
| 850 mm | 10-20850-06 |
| | 10-20850-16 |
| 1 Drawer 1 Adjustable shelf 1 Retractable shelf 1 Door 600mmh right hand opening | |



07 17
 100 S 100 T
 200 S 200 T

RS S RS S

| Height: | Part. No. |
|--|-------------|
| 850 mm | 10-20850-07 |
| | 10-20850-17 |
| 2 Drawers 1 Retractable shelf 1 Door 450mmh right hand opening | |




05 15
 50 S 50 S
 100 S 100 T
 150 S 150 T

RS S RS S

| Height: | Part. No. |
|--|-------------|
| 850 mm | 10-20850-05 |
| | 10-20850-15 |
| 3 Drawers 1 Retractable shelf 1 Door 450mmh right hand opening | |

Standard colours:



Drawers:

S = load capacity:60/100 kg - extension 85-90%
T = load capacity:100 kg - extension 100%

Standard examples:

Height: 1000 mm



01 11
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T
 200 S 200 T
 300 S 300 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-21000-01 |
| | 10-21000-11 |
| 6 Drawers | |



02 12
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-21000-02 |
| | 10-21000-12 |
| 7 Drawers | |



03 13
 50 S 50 S
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 125 S 125 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-21000-03 |
| | 10-21000-13 |
| 8 Drawers | |



04 14
 50 S 50 S
 75 S 75 T
 50 S 50 S
 75 S 75 T
 75 S 75 T
 75 S 75 T
 125 S 125 T
 150 S 150 T
 300 S 300 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-21000-04 |
| | 10-21000-14 |
| 8 Drawers | |



05 15
 50 S 50 S
 100 S 100 T
 150 S 150 T

 AS AS

 RS S RS S

| | |
|----------------------------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-21000-05 |
| | 10-21000-15 |
| 3 Drawers | |
| 1 Adjustable shelf | |
| 1 Retractable shelf | |
| 1 Door 600mmh right hand opening | |







06 16
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T

 RS S RS S

| | |
|----------------------------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-21000-06 |
| | 10-21000-16 |
| 5 Drawers | |
| 1 Retractable shelf | |
| 1 Door 450mmh right hand opening | |



Partitioning material
 see page 30

Standard colours:
 RAL 5012  RAL 6011  RAL 7035  RAL 9010 



Series 10

27x36 Eh



Mobile cabinets

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in one height only with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly. Complete with safety upstand raised

edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or polyurethane.

Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 580 mm, Depth 820 mm.

| with nylon castors Ø 100 mm Part. No. | with polyurethane castors Ø 100 mm Part. No. | Total height mm | Usable height for drawers mm |
|---|--|--------------------|---------------------------------|
| 10-27280 | 10-27285 | 760 | 200 |
| 10-27380 | 10-27385 | 760 | 300 |

Max load capacity: 400 kg with load evenly distributed

Colours: see colour chart at the bottom of the page



Mobile cabinets

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly. Complete with safety upstand raised

edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or polyurethane. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 572 mm, Depth 780 mm.

| with nylon castors Ø 100 mm Part. No. | with polyurethane castors Ø 100 mm Part. No. | Total height mm | with polyurethane castors Ø 150 mm Part. No. | Total height mm | Usable height for drawers mm |
|---|--|--------------------|--|--------------------|---------------------------------|
| 10-29530 | 10-29540 | 705 | 10-29550 | 762 | 450 |
| 10-29650 | 10-29660 | 822 | 10-29670 | 879 | 550 |
| 10-29700 | 10-29710 | 872 | 10-29720 | 929 | 600 |
| 10-29800 | 10-29810 | 972 | 10-29820 | 1029 | 700 |
| 10-29850 | 10-29860 | 1022 | 10-29870 | 1079 | 750 |
| 10-29900 | 10-29910 | 1172 | 10-29920 | 1229 | 900 |

Max load capacity: 400 kg with load evenly distributed

Colours: see colour chart at the bottom of the page



nylon castors
(2 fixed and
2 swivel braked)



polyurethane castors
(2 fixed and
2 swivel braked)



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

| Front height mm | Usable height mm | Lateral height mm | Load capacity kg * | Single locking system on right Part. No. |
|--------------------|---------------------|----------------------|-----------------------|---|
| 50 S | 36 | 33 | 60 | 10-23052 |
| 75 S | 61 | 52 | 70 | 10-23077 |
| 75 T | 54 | 52 | 70 | 10-23078 |
| 100 S | 86 | 77 | 70 | 10-23102 |
| 100 T | 79 | 77 | 70 | 10-23103 |
| 125 S | 111 | 77 | 70 | 10-23127 |
| 125 T | 104 | 77 | 70 | 10-23128 |
| 150 S | 136 | 127 | 70 | 10-23152 |
| 150 T | 129 | 127 | 70 | 10-23153 |
| 200 S | 186 | 177 | 70 | 10-23202 |
| 200 T | 179 | 177 | 70 | 10-23203 |
| 250 S | 236 | 177 | 70 | 10-23252 |
| 250 T | 229 | 177 | 70 | 10-23253 |
| 300 S | 286 | 277 | 70 | 10-23302 |
| 300 T | 279 | 277 | 70 | 10-23303 |


S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 27 Eh

Part. No. 06-00275

Kit: 30 pieces

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



All drawers with single locking system on right



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 760 mm



01 11
50 S 50 S
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 760 mm | 10-27280-01 |
| | 10-27280-11 |

2 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
100 S 100 T
100 S 100 T

| Height: | Part. No. |
|---------|-------------|
| 760 mm | 10-27280-02 |
| | 10-27280-12 |

2 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
50 S 50 S
100 S 100 T

| Height: | Part. No. |
|---------|-------------|
| 760 mm | 10-27280-03 |
| | 10-27280-13 |

3 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
100 S 100 T
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 760 mm | 10-27380-03 |
| | 10-27380-13 |

3 Drawers with single locking system on right
4-sided safety upstand with rubber mat



08 18
100 S 100 T
100 S 100 T
100 S 100 T

| Height: | Part. No. |
|---------|-------------|
| 760 mm | 10-27380-08 |
| | 10-27380-18 |

3 Drawers with single locking system on right
4-sided safety upstand with rubber mat



06 16
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T

| Height: | Part. No. |
|---------|-------------|
| 760 mm | 10-27380-06 |
| | 10-27380-16 |

4 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
100 S 100 T
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 760 mm | 10-28380-03 |
| | 10-28380-13 |

3 Drawers with single locking system on right
4-sided safety upstand with rubber mat



| Height: | Part. No. |
|---------|-----------|
| 760 mm | 10-27903 |

4-sided safety upstand with rubber mat
1 Adjustable shelf



Partitioning material
see page 30



Drawers:
S = load capacity:70 kg -extension 85-90%
T = load capacity:70 kg - extension 100%



Standard examples are equipped
with 2 fixed and 2 swivel braked
nylon castors, Ø 100 mm



Series 10

27x36 Eh

Height: 705 mm



01 11
50 S 50 S
75 S 75 T
125 S 125 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 705 mm | 10-29530-01 |
| | 10-29530-11 |

4 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 705 mm | 10-29530-02 |
| | 10-29530-12 |

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T

| Height: | Part. No. |
|---------|-------------|
| 705 mm | 10-29530-03 |
| | 10-29530-13 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 822 mm



01 11
100 S 100 T
150 S 150 T
300 S 300 T

| Height: | Part. No. |
|---------|-------------|
| 822 mm | 10-29650-01 |
| | 10-29650-11 |

3 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
50 S 50 S
50 S 50 S
75 S 75 T
75 S 75 T
150 S 150 T
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 822 mm | 10-29650-02 |
| | 10-29650-12 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 872 mm



01 11
75 S 75 T
100 S 100 T
125 S 125 T
300 S 300 T

| Height: | Part. No. |
|---------|-------------|
| 872 mm | 10-29700-01 |
| | 10-29700-11 |

4 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 872 mm | 10-29700-02 |
| | 10-29700-12 |

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat




03 13
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 872 mm | 10-29700-03 |
| | 10-29700-13 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



All drawers with single locking system on right



Drawers:

S = load capacity:70 kg - extension 85-90%
T = load capacity:70 kg - extension 100%

Standard examples:

Height: 972 mm



01 11
50 S 50 S
100 S 100 T
100 S 100 T
150 S 150 T
300 S 300 T

| Height: | Part. No. |
|---------|----------------------------|
| 972 mm | 10-29800-01 10-29800-11 |

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|---------|----------------------------|
| 972 mm | 10-29800-02 10-29800-12 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|---------|----------------------------|
| 972 mm | 10-29800-03 10-29800-13 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1022 mm



01 11
50 S 50 S
100 S 100 T
100 S 100 T
200 S 200 T
300 S 300 T

| Height: | Part. No. |
|---------|----------------------------|
| 1022 mm | 10-29850-01 10-29850-11 |

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
125 S 125 T
250 S 250 T

| Height: | Part. No. |
|---------|----------------------------|
| 1022 mm | 10-29850-02 10-29850-12 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
150 S 150 T

| Height: | Part. No. |
|---------|----------------------------|
| 1022 mm | 10-29850-03 10-29850-13 |

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1172 mm



01 11
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T
200 S 200 T
300 S 300 T

| Height: | Part. No. |
|---------|----------------------------|
| 1172 mm | 10-29900-01 10-29900-11 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
100 S 100 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|---------|----------------------------|
| 1172 mm | 10-29900-02 10-29900-12 |

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
75 S 75 T
75 S 75 T
75 S 75 T
125 S 125 T
150 S 150 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|---------|----------------------------|
| 1172 mm | 10-29900-03 10-29900-13 |

8 Drawers with single locking system on right
4-sided safety upstand with rubber mat







Partitioning material
see page 30



Standard examples are equipped
with 2 fixed and 2 swivel braked
nylon castors, Ø 100 mm

Standard colours:


RAL 5012  RAL 6011  RAL 7035  RAL 9010 




Series 10

27x36 Eh


Partitioning material




| For front height: | Part. No. |
|--------------------|-----------|
| 50 mm and higher | 07-20004 |
| 12 Troughs | 4-Trough |
| 50 Trough dividers | |




| For front height: | Part. No. |
|--------------------|-----------|
| 50 mm and higher | 07-20023 |
| 8 Troughs | 2-Trough |
| 10 Trough dividers | |
| 4 Troughs | 3-Trough |
| 20 Trough dividers | |




| For front height: | Part. No. |
|--------------------|-----------|
| 50 mm and higher | 07-20034 |
| 8 Troughs | 3-Trough |
| 10 Trough dividers | |
| 4 Troughs | 4-Trough |
| 20 Trough dividers | |




| For front height: | Part. No. |
|-------------------|------------|
| 50 mm | 07-21405 |
| 75 mm | 07-21407 |
| 100-125 mm | 07-21410 |
| 12 Plastic boxes | 150x75 mm |
| 6 Plastic boxes | 150x150 mm |




| For front height: | Part. No. |
|-------------------|------------|
| 50 mm | 07-21505 |
| 75 mm | 07-21507 |
| 16 Plastic boxes | 75x75 mm |
| 8 Plastic boxes | 150x75 mm |
| 4 Plastic boxes | 150x150 mm |




| For front height: | Part. No. |
|--------------------------------|------------|
| 50 mm | 07-21605 |
| 16 Plastic boxes with dividers | 75x75 mm |
| 16 Plastic boxes | 75x75 mm |
| 4 Plastic boxes | 150x75 mm |
| 2 Plastic boxes | 150x150 mm |




Standard examples:




| For front height: | Part. No. |
|---------------------|-----------|
| 75 mm | 07-23007 |
| 100-125 mm | 07-23010 |
| 150 mm | 07-23015 |
| 200-250 mm | 07-23020 |
| 1 Slotted partition | 36 Eh |
| 1 Aluminium divider | 12 Eh |
| 1 Aluminium divider | 15 Eh |




| For front height: | Part. No. |
|----------------------|-----------|
| 75 mm | 07-23107 |
| 100-125 mm | 07-23110 |
| 150 mm | 07-23115 |
| 200-250 mm | 07-23120 |
| 2 Slotted partitions | 36 Eh |
| 3 Aluminium dividers | 9 Eh |




| For front height: | Part. No. |
|-----------------------|-----------|
| 50 mm | 07-23205 |
| 75 mm | 07-23207 |
| 100-125 mm | 07-23210 |
| 150 mm | 07-23215 |
| 2 Slotted partitions | 36 Eh |
| 10 Aluminium dividers | 9 Eh |



| For front height: | Part. No. |
|----------------------|-----------|
| 50 mm | 07-23305 |
| 75 mm | 07-23307 |
| 100-125 mm | 07-23310 |
| 150 mm | 07-23315 |
| 3 Slotted partitions | 36 Eh |
| 6 Aluminium dividers | 6 Eh |
| 2 Aluminium dividers | 9 Eh |



| For front height: | Part. No. |
|-----------------------|-----------|
| 50 mm | 07-23405 |
| 75 mm | 07-23407 |
| 100-125 mm | 07-23410 |
| 4 Slotted partitions | 36 Eh |
| 5 Aluminium dividers | 4 Eh |
| 5 Aluminium dividers | 5 Eh |
| 10 Aluminium dividers | 6 Eh |



| For front height: | Part. No. |
|--------------------|-----------|
| 75 mm | 07-28207 |
| 100-125 mm | 07-28210 |
| 150 mm | 07-28215 |
| 200-250 mm | 07-28220 |
| 2 Plain partitions | 36 Eh |



Standard examples with slotted partitions are supplied with fixings




Series 10

36x36 Eh

Drawer cabinets

Width: 717 mm - Depth: 725 mm




Drawer cabinets
see page 33



Mobile drawer cabinets
see page 40



Partitioning material
see page 43




Standard colours:
 RAL 5012 RAL 6011 RAL 7035 RAL 9010

5-year Guarantee

For your safety all cabinets must be anchored using floor bolts

Fixing material for cabinets
Part. No. 06-00030





Cabinets housings

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly.

Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

| Width mm | Depth mm | Height mm | Usable height mm | Part. No. |
|----------|----------|-----------|------------------|-----------------|
| 717 | 725 | 700 | 600 | 10-30700 |
| 717 | 725 | 800 | 700 | 10-30800 |
| 717 | 725 | 850 | 750 | 10-30850 |
| 717 | 725 | 1000 | 900 | 10-31000 |
| 717 | 725 | 1150 | 1050 | 10-31150 |
| 717 | 725 | 1325 | 1225 | 10-31320 |
| 717 | 725 | 1450 | 1350 | 10-31450 |
| 717 | 725 | 1625 | 1525 | 10-31620 |

Colours: see colour chart at the bottom of the page



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

| Front height mm | Usable height mm | Lateral height mm | Load capacity kg * | Part. No. |
|-----------------|------------------|-------------------|--------------------|-----------------|
| 50 S | 36 | 33 | 60 | 10-33050 |
| 75 S | 61 | 52 | 80 | 10-33075 |
| 75 T | 54 | 52 | 200 | 10-33076 |
| 100 S | 86 | 77 | 100 | 10-33100 |
| 100 T | 79 | 77 | 200 | 10-33101 |
| 125 S | 111 | 77 | 100 | 10-33125 |
| 125 T | 104 | 77 | 200 | 10-33126 |
| 150 S | 136 | 127 | 100 | 10-33150 |
| 150 T | 129 | 127 | 200 | 10-33151 |
| 175 T | 154 | 127 | 200 | 10-33176 |
| 200 S | 186 | 177 | 100 | 10-33200 |
| 200 T | 179 | 177 | 200 | 10-33201 |
| 250 T | 229 | 177 | 200 | 10-33251 |
| 300 S | 286 | 277 | 100 | 10-33300 |
| 300 T | 279 | 277 | 200 | 10-33301 |
| 400 T | 379 | 277 | 200 | 10-33401 |


S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Upstand raised edges on 3 sides

Made of high-quality steel

| Width mm | Depth mm | Height mm | Upstand with mat Part. No. | Smooth rubber mat Part. No. |
|----------|----------|-----------|----------------------------|-----------------------------|
| 717 | 725 | 20 | 10-30025 | - |
| 712 | 720 | 2 | - | 10-30022 |




Card insert and cellophane (spare part)

For drawers: 36 Eh

Part. No. **06-00365**

Kit: 30 pieces



Cabinet bases

Made of high-quality steel

| | Width mm | Depth mm | Height mm | Part. No. |
|----------------------|----------|----------|-----------|-----------------|
| 1 Base plinth | 717 | 693 | 50 | 05-43605 |
| 1 Base plinth | 717 | 693 | 130 | 05-43613 |
| 2 Pallet base | 717 | 659 | 100 | 05-13610 |
| 3 Cover plate | 717 | - | 100 | 05-33610 |

Colour: Black



Partitioning material see page 43



Load capacity is intended for evenly distributed loads

Standard colours:

| RAL 5012 | RAL 6011 | RAL 7035 | RAL 9010 |
|----------|----------|----------|----------|
| | | | |



Series 10

36x36 Eh



Cabinet housings

Made of high-quality sheet steel. Housing sides and bases are welded with high resistance products, environmentally friendly. Available in 2 different heights with uprights slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Equipped with locking bar.

| Width mm | Depth mm | Height mm | Usable height mm | Part. No. |
|----------|----------|-----------|------------------|-----------|
| 717 | 725 | 850 | 750 | 10-30860 |
| 717 | 725 | 1000 | 900 | 10-31010 |

Colours: see colour chart at the bottom of the page



Perforated back panel


Made of high-quality steel

| Width mm | Height mm | Usable height mm | Part. No. |
|----------|-----------|------------------|-----------|
| 717 | 1104 | 608 | 10-30100 |

Colour: Light grey RAL 7035




Hooks see page 249



Work surfaces for cabinets

| Width mm | Depth mm | Thickness mm | Plastic laminated Part. No. | Linoplex Part. No. |
|----------|----------|--------------|-----------------------------|--------------------|
| 717 | 750 | 30 | 10-30014 | 10-30016 |

Colour: Plastic laminated/Linoplex Light grey




Adjustable shelf

Made of steel. Lateral supports included

| Usable width mm | Usable depth mm | Height mm | Load capacity kg | Part. No. |
|-----------------|-----------------|-----------|------------------|-----------|
| 658 | 620 | 35 | 70 | 33-72038 |

Colour: Light grey RAL 7035



Retractable shelves

Made of high-quality sheet steel. Available in two versions (simple or total extension) with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

| Usable width mm | Usable depth mm | Height mm | Extension % | Load capacity kg * | Part. No. |
|-----------------|-----------------|-----------|-------------|--------------------|-----------|
| 612 | 612 | 75 | 85 | 100 | 10-33984 |
| 612 | 612 | 75 | 100 | 200 | 10-33985 |

* with load evenly distributed

Colours: see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 36 Eh Part. No. 06-00365
Kit: 30 pieces



Lower shelf

Made of high-quality steel

| Usable width mm | Usable depth mm | Height mm | Load capacity kg | Part. No. |
|-----------------|-----------------|-----------|------------------|-----------|
| 651 | 618 | 55 | 50 | 10-30034 |

Colour: Light grey RAL 7035

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



Standard examples:

Height: 700 mm



01 02
50 S 50 S
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 700 mm | 10-30700-01 |
| | 10-30700-02 |

5 Drawers



03 04
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
250 T 250 T

| Height: | Part. No. |
|---------|-------------|
| 700 mm | 10-30700-03 |
| | 10-30700-04 |

5 Drawers



05 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 700 mm | 10-30700-05 |
| | 10-30700-06 |

6 Drawers

Height: 800 mm



07 02
100 S 100 T
150 S 150 T
150 S 150 T
300 S 300 T

| Height: | Part. No. |
|---------|-------------|
| 800 mm | 10-30800-07 |
| | 10-30800-02 |

4 Drawers



03 04
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 800 mm | 10-30800-03 |
| | 10-30800-04 |

6 Drawers



05 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 800 mm | 10-30800-05 |
| | 10-30800-06 |

7 Drawers

Height: 850 mm



01 02
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 850 mm | 10-30850-01 |
| | 10-30850-02 |

7 Drawers



03 04
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
125 S 125 T
125 S 125 T
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 850 mm | 10-30850-03 |
| | 10-30850-04 |

7 Drawers



05 06
75 S 75 T
75 S 75 T
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 850 mm | 10-30850-05 |
| | 10-30850-06 |

8 Drawers







Partitioning material
see page 43



Drawers:

S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard colours:

RAL 5012  RAL 6011  RAL 7035  RAL 9010 



Series 10

36x36 Eh

Height: 1000 mm



35 02
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 300 S 300 T

| | |
|---------------------------|--|
| Height: 1000 mm | Part. No. 10-31000-35 10-31000-02 |
| 6 Drawers | |



03 04
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

| | |
|---------------------------|--|
| Height: 1000 mm | Part. No. 10-31000-03 10-31000-04 |
| 7 Drawers | |



37 06
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 200 S 200 T
 300 S 300 T

| | |
|---------------------------|--|
| Height: 1000 mm | Part. No. 10-31000-37 10-31000-06 |
| 7 Drawers | |



07 08
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

| | |
|---------------------------|--|
| Height: 1000 mm | Part. No. 10-31000-07 10-31000-08 |
| 8 Drawers | |



11 12
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 200 S 200 T

| | |
|---------------------------|--|
| Height: 1000 mm | Part. No. 10-31000-11 10-31000-12 |
| 8 Drawers | |



13 14
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 125 S 125 T
 125 S 125 T
 125 S 125 T
 200 S 200 T

| | |
|---------------------------|--|
| Height: 1000 mm | Part. No. 10-31000-13 10-31000-14 |
| 8 Drawers | |



17 18
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T

| | |
|---------------------------|--|
| Height: 1000 mm | Part. No. 10-31000-17 10-31000-18 |
| 9 Drawers | |



19 20
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 200 S 200 T


| | |
|---------------------------|--|
| Height: 1000 mm | Part. No. 10-31000-19 10-31000-20 |
| 9 Drawers | |



27 28
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T

| | |
|---------------------------|--|
| Height: 1000 mm | Part. No. 10-31000-27 10-31000-28 |
| 9 Drawers | |

Standard colours:



Drawers:

S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard examples:

Height: 1000 mm



21 22
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 50 S 50 S
 75 S 75 T
 125 S 125 T
 100 S 100 T
 150 S 150 T
 150 S 150 T



23 24
 50 S 50 S
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-31000-21 |
| | 10-31000-22 |
| 10 Drawers | |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-31000-23 |
| | 10-31000-24 |
| 11 Drawers | |

Height: 1325 mm



13 02
 50 S 50 S
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T
 300 S 300 T



15 04
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 125 S 125 T
 150 S 150 T
 200 S 200 T
 300 S 300 T



05 06
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 125 S 125 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1325 mm | 10-31320-13 |
| | 10-31320-02 |
| 9 Drawers | |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1325 mm | 10-31320-15 |
| | 10-31320-04 |
| 9 Drawers | |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1325 mm | 10-31320-05 |
| | 10-31320-06 |
| 10 Drawers | |



07 08
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 125 S 125 T
 200 S 200 T
 200 S 200 T



09 10
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 125 S 125 T
 150 S 150 T
 150 S 150 T
 200 S 200 T



11 12
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T





| | |
|----------------|------------------|
| Height: | Part. No. |
| 1325 mm | 10-31320-07 |
| | 10-31320-08 |
| 11 Drawers | |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1325 mm | 10-31320-09 |
| | 10-31320-10 |
| 11 Drawers | |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1325 mm | 10-31320-11 |
| | 10-31320-12 |
| 12 Drawers | |



Partitioning material
see page 43

Standard colours:
 RAL 5012  RAL 6011  RAL 7035  RAL 9010 



Series 10


36x36 Eh

Height: 1450 mm



13 02
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 300 S 300 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1450 mm | 10-31450-13 |
| | 10-31450-02 |
| 9 Drawers | |



03 04
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1450 mm | 10-31450-03 |
| | 10-31450-04 |
| 9 Drawers | |




05 06
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T
 200 S 200 T
 200 S 200 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1450 mm | 10-31450-05 |
| | 10-31450-06 |
| 10 Drawers | |



07 08
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T
 200 S 200 T


| | |
|----------------|------------------|
| Height: | Part. No. |
| 1450 mm | 10-31450-07 |
| | 10-31450-08 |
| 11 Drawers | |



11 12
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1450 mm | 10-31450-11 |
| | 10-31450-12 |
| 13 Drawers | |

Standard colours:



Drawers:

S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard examples:

Height: 1625 mm



01 02
 125 S 125 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 200 S 200 T



05 06
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 200 S 200 T



09 10
 100 S 100 T
 100 S 100 T
 100 S 100 T
 50 S 50 S
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 200 S 200 T
 250 T 250 T





| | |
|---------------------------|---------------------------------|
| Height: 1625 mm | Part. No. 10-31620-01 |
| | 10-31620-02 |
| 13 Drawers | |

| | |
|---------------------------|---------------------------------|
| Height: 1625 mm | Part. No. 10-31620-05 |
| | 10-31620-06 |
| 13 Drawers | |

| | |
|---------------------------|---------------------------------|
| Height: 1625 mm | Part. No. 10-31620-09 |
| | 10-31620-10 |
| 14 Drawers | |



Partitioning material
see page 43

Standard colours:
 RAL 5012  RAL 6011  RAL 7035  RAL 9010 



Series 10

36x36 Eh



Mobile cabinets

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly. Complete with safety upstand raised edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or polyurethane. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 802 mm, Depth 733 mm.

Width 802 mm, Depth 733 mm.

| with nylon castors Ø 100 mm Part. No. | with polyurethane castors Ø 100 mm Part. No. | Total height mm | with polyurethane castors Ø 150 mm Part. No. | Total height mm | Usable height for drawers mm |
|---|--|--------------------|--|--------------------|---------------------------------|
| 10-39700 | 10-39710 | 857 | 10-39720 | 914 | 600 |
| 10-39800 | 10-39810 | 957 | 10-39820 | 1014 | 700 |
| 10-39850 | 10-39860 | 1007 | 10-39870 | 1064 | 750 |
| 10-39900 | 10-39910 | 1157 | 10-39920 | 1214 | 900 |

Max load capacity: 400 kg with load evenly distributed

Colours: see colour chart at the bottom of the page



nylon castors
(2 fixed and
2 swivel braked)



polyurethane castors
(2 fixed and
2 swivel braked)



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

| Front height mm | Usable height mm | Lateral height mm | Load capacity kg * | Single locking system on right Part. No. |
|--------------------|---------------------|----------------------|-----------------------|---|
| 50 S | 36 | 33 | 60 | 10-33052 |
| 75 S | 61 | 52 | 70 | 10-33077 |
| 75 T | 54 | 52 | 70 | 10-33078 |
| 100 S | 86 | 77 | 70 | 10-33102 |
| 100 T | 79 | 77 | 70 | 10-33103 |
| 125 S | 111 | 77 | 70 | 10-33127 |
| 125 T | 104 | 77 | 70 | 10-33128 |
| 150 S | 136 | 127 | 70 | 10-33152 |
| 150 T | 129 | 127 | 70 | 10-33153 |
| 175 T | 154 | 127 | 70 | 10-33178 |
| 200 S | 186 | 177 | 70 | 10-33202 |
| 200 T | 179 | 177 | 70 | 10-33203 |
| 250 T | 229 | 177 | 70 | 10-33253 |
| 300 S | 286 | 277 | 70 | 10-33302 |
| 300 T | 279 | 277 | 70 | 10-33303 |
| 400 T | 379 | 277 | 70 | 10-33403 |


S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 36 Eh

Part. No. 06-00365

Kit: 30 pieces

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



All drawers with single locking system on right



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 914 mm



01 02
50 S 50 S
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T



03 04
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
250 T 250 T



05 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 914 mm | 10-39720-01 |
| | 10-39720-02 |

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat

| Height: | Part. No. |
|---------|-------------|
| 914 mm | 10-39720-03 |
| | 10-39720-04 |

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat

| Height: | Part. No. |
|---------|-------------|
| 914 mm | 10-39720-05 |
| | 10-39720-06 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1014 mm



01 02
100 S 100 T
150 S 150 T
150 S 150 T
300 S 300 T



03 04
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T



05 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 1014 mm | 10-39820-01 |
| | 10-39820-02 |

4 Drawers with single locking system on right
4-sided safety upstand with rubber mat

| Height: | Part. No. |
|---------|-------------|
| 1014 mm | 10-39820-03 |
| | 10-39820-04 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

| Height: | Part. No. |
|---------|-------------|
| 1014 mm | 10-39820-05 |
| | 10-39820-06 |

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat



Partitioning material
see page 43



Drawers:
S = load capacity:70 kg - extension 85-90%
T = load capacity:70 kg - extension 100%



Standard examples are equipped
with 2 fixed and 2 swivel braked
polyurethane castors, Ø 150 mm



Series 10

36x36 Eh

Standard examples:

Height: 1064 mm



| | |
|-----------|-----------|
| 01 | 02 |
| 50 S | 50 S |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 200 S | 200 T |



| | |
|-----------|-----------|
| 03 | 04 |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 125 S | 125 T |
| 125 S | 125 T |
| 150 S | 150 T |



| | |
|-----------|-----------|
| 05 | 06 |
| 75 S | 75 T |
| 75 S | 75 T |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |

| Height: | Part. No. |
|---------|-------------|
| 1064 mm | 10-39870-01 |
| | 10-39870-02 |

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

| Height: | Part. No. |
|---------|-------------|
| 1064 mm | 10-39870-03 |
| | 10-39870-04 |

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

| Height: | Part. No. |
|---------|-------------|
| 1064 mm | 10-39870-05 |
| | 10-39870-06 |

8 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1214 mm



| | |
|-----------|-----------|
| 09 | 02 |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 300 S | 300 T |



| | |
|-----------|-----------|
| 03 | 04 |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 200 S | 200 T |



| | |
|-----------|-----------|
| 07 | 08 |
| 50 S | 50 S |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 200 S | 200 T |

| Height: | Part. No. |
|---------|-------------|
| 1214 mm | 10-39920-09 |
| | 10-39920-02 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat


| Height: | Part. No. |
|---------|-------------|
| 1214 mm | 10-39920-03 |
| | 10-39920-04 |

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

| Height: | Part. No. |
|---------|-------------|
| 1214 mm | 10-39920-07 |
| | 10-39920-08 |

8 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Standard colours:



Drawers:

S = load capacity: 70 kg - extension 85-90%
T = load capacity: 70 kg - extension 100%




Standard examples are equipped with 2 fixed and 2 swivel braked polyurethane castors, Ø 150 mm




Standard examples:


Partitioning material




| For front height: | Part. No. |
|--------------------|-----------|
| 50 mm and higher | 07-30002 |
| 16 Troughs | 2-Trough |
| 38 Trough dividers | |




| For front height: | Part. No. |
|--------------------|-----------|
| 50 mm and higher | 07-30003 |
| 16 Troughs | 3-Trough |
| 51 Trough dividers | |




| For front height: | Part. No. |
|--------------------|-----------|
| 50 mm and higher | 07-30004 |
| 16 Troughs | 4-Trough |
| 64 Trough dividers | |



| For front height: | Part. No. |
|--------------------|-----------|
| 50 mm and higher | 07-30034 |
| 8 Troughs | 3-Trough |
| 16 Trough dividers | |
| 8 Troughs | 4-Trough |
| 24 Trough dividers | |



| For front height: | Part. No. |
|--------------------|-----------|
| 50 mm and higher | 07-30234 |
| 4 Troughs | 2-Trough |
| 10 Trough dividers | |
| 8 Troughs | 3-Trough |
| 20 Trough dividers | |
| 4 Troughs | 4-Trough |
| 30 Trough dividers | |



| For front height: | Part. No. |
|-------------------|-----------|
| 50 mm | 07-31105 |
| 75 mm | 07-31107 |
| 100-125 mm | 07-31110 |
| 32 Plastic boxes | 150x75 mm |



Details of partitioning material on page 112



Label holders not included




Standard examples with slotted partitions are supplied with fixings




Series 10

36x36 Eh


Partitioning material




| For front height: | Part. No. |
|-------------------|------------|
| 50 mm | 07-31205 |
| 75 mm | 07-31207 |
| 100-125 mm | 07-31210 |
| 16 Plastic boxes | 150x150 mm |




| For front height: | Part. No. |
|-------------------|------------|
| 50 mm | 07-31405 |
| 75 mm | 07-31407 |
| 100-125 mm | 07-31410 |
| 16 Plastic boxes | 150x75 mm |
| 8 Plastic boxes | 150x150 mm |




| For front height: | Part. No. |
|-------------------|------------|
| 50 mm | 07-31505 |
| 75 mm | 07-31507 |
| 16 Plastic boxes | 75x75 mm |
| 16 Plastic boxes | 150x75 mm |
| 4 Plastic boxes | 150x150 mm |




| For front height: | Part. No. |
|-----------------------|------------|
| 50 mm | 07-32005 |
| 3 Slotted partitions | 36 Eh |
| 4 Grooved inserts | 11-grooves |
| 3 Grooved inserts | 8-grooves |
| 4 Grooved inserts | 6-grooves |
| 15 Aluminium dividers | 9 Eh |




| For front height: | Part. No. |
|-------------------|-----------|
| 50 mm | 07-32106 |
| 1 Plain partition | 36 Eh |
| 20 Cutter holders | Ø 15,5 mm |
| 10 Cutter holders | Ø 21,5 mm |
| 5 Cutter holders | Ø 26,5 mm |
| 5 Cutter holders | Ø 31,2 mm |




| For front height: | Part. No. |
|----------------------|-----------|
| 100-125 mm | 07-33010 |
| 150-175 mm | 07-33015 |
| 200-250 mm | 07-33020 |
| 300-400 mm | 07-33030 |
| 1 Slotted partition | 36 Eh |
| 2 Aluminium dividers | 18 Eh |




Standard examples:




| For front height: | Part. No. |
|----------------------|-----------|
| 75 mm | 07-33107 |
| 100-125 mm | 07-33110 |
| 150-175 mm | 07-33115 |
| 200-250 mm | 07-33120 |
| 300-400 mm | 07-33130 |
| 2 Slotted partitions | 36 Eh |
| 3 Aluminium dividers | 12 Eh |




| For front height: | Part. No. |
|----------------------|-----------|
| 75 mm | 07-33207 |
| 100-125 mm | 07-33210 |
| 150-175 mm | 07-33215 |
| 200-250 mm | 07-33220 |
| 2 Slotted partitions | 36 Eh |
| 8 Aluminium dividers | 12 Eh |




| For front height: | Part. No. |
|-----------------------|-----------|
| 75 mm | 07-33307 |
| 100-125 mm | 07-33310 |
| 150-175 mm | 07-33315 |
| 200-250 mm | 07-33320 |
| 3 Slotted partitions | 36 Eh |
| 15 Aluminium dividers | 9 Eh |



| For front height: | Part. No. |
|-----------------------|-----------|
| 50 mm | 07-33405 |
| 75 mm | 07-33407 |
| 100-125 mm | 07-33410 |
| 4 Slotted partitions | 36 Eh |
| 12 Aluminium dividers | 6 Eh |
| 9 Aluminium dividers | 9 Eh |



| For front height: | Part. No. |
|-----------------------|-----------|
| 50 mm | 07-33505 |
| 75 mm | 07-33507 |
| 100-125 mm | 07-33510 |
| 5 Slotted partitions | 36 Eh |
| 20 Aluminium dividers | 6 Eh |



| For front height: | Part. No. |
|--------------------|-----------|
| 75 mm | 07-38407 |
| 100-125 mm | 07-38410 |
| 150-175 mm | 07-38415 |
| 200-250 mm | 07-38420 |
| 4 Plain partitions | 36 Eh |



Standard examples with slotted partitions are supplied with fixings




Series 10

45x36 Eh

Drawer cabinets

Width: 870 mm - Depth: 725 mm




Drawer cabinets
see page 47



Mobile drawer cabinets
see page 52



Partitioning material
see page 55




Standard colours:

| | | | |
|----------|----------|----------|----------|
| RAL 5012 | RAL 6011 | RAL 7035 | RAL 9010 |
| | | | |

5-year Guarantee

For your safety all cabinets must be anchored using floor bolts

Fixing material for cabinets
Part. No. 06-00030





Cabinets housings

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly.

Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

| Width mm | Depth mm | Height mm | Usable height mm | Part. No. |
|----------|----------|-----------|------------------|-----------------|
| 870 | 725 | 700 | 600 | 10-40700 |
| 870 | 725 | 850 | 750 | 10-40850 |
| 870 | 725 | 1000 | 900 | 10-41000 |
| 870 | 725 | 1450 | 1350 | 10-41450 |

Colours: see colour chart at the bottom of the page



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

| Front height mm | Usable height mm | Lateral height mm | Load capacity kg * | Part. No. |
|-----------------|------------------|-------------------|--------------------|-----------------|
| 50 S | 36 | 33 | 60 | 10-43050 |
| 75 S | 61 | 52 | 80 | 10-43075 |
| 75 T | 54 | 52 | 200 | 10-43076 |
| 100 S | 86 | 77 | 100 | 10-43100 |
| 100 T | 79 | 77 | 200 | 10-43101 |
| 125 S | 111 | 77 | 100 | 10-43125 |
| 125 T | 104 | 77 | 200 | 10-43126 |
| 150 S | 136 | 127 | 100 | 10-43150 |
| 150 T | 129 | 127 | 200 | 10-43151 |
| 200 S | 186 | 177 | 100 | 10-43200 |
| 200 T | 179 | 177 | 200 | 10-43201 |
| 250 T | 229 | 177 | 200 | 10-43251 |
| 300 S | 286 | 277 | 100 | 10-43300 |
| 300 T | 279 | 277 | 200 | 10-43301 |


S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page




Upstand raised edges on 3 sides

Made of high-quality steel

| Width mm | Depth mm | Height mm | Upstand with mat Part. No. | Smooth rubber mat Part. No. |
|----------|----------|-----------|----------------------------|-----------------------------|
| 870 | 725 | 20 | 10-40025 | - |
| 865 | 720 | 2 | - | 10-40022 |

Colour: Black




Card insert and cellophane (spare part)

For drawers: 45 Eh

Part. No. **06-00455**

Kit: 30 pieces



Cabinet bases

Made of high-quality steel

| | Width mm | Depth mm | Height mm | Part. No. |
|----------------------|----------|----------|-----------|-----------------|
| 1 Base plinth | 870 | 693 | 50 | 05-44505 |
| 2 Pallet base | 870 | 659 | 100 | 05-14510 |
| 3 Cover plate | 870 | - | 100 | 05-34510 |

Colour: Black



Partitioning material see page 55



Load capacity is intended for evenly distributed loads

Standard colours:

| RAL 5012 | RAL 6011 | RAL 7035 | RAL 9010 |
|----------|----------|----------|----------|
| | | | |



Series 10

45x36 Eh



Cabinet housings

Made of high-quality sheet steel. Housing sides and bases are welded with high resistance products, environmentally friendly. Available in 2 different heights with uprights slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Equipped with locking bar.

| Width mm | Depth mm | Height mm | Usable height mm | Part. No. |
|----------|----------|-----------|------------------|-----------|
| 870 | 725 | 850 | 750 | 10-40860 |
| 870 | 725 | 1000 | 900 | 10-41010 |

Colours: see colour chart at the bottom of the page



Perforated back panel


Made of high-quality steel

| Width mm | Height mm | Usable height mm | Part. No. |
|----------|-----------|------------------|-----------|
| 870 | 1104 | 608 | 10-40100 |

Colour: Light grey RAL 7035



Hooks see page 249



Work surfaces for cabinets

| Width mm | Depth mm | Thickness mm | Plastic laminated Part. No. | Linoplex Part. No. |
|----------|----------|--------------|-----------------------------|--------------------|
| 870 | 750 | 30 | 10-40014 | 10-40016 |

Colour: Plastic laminated/Linoplex Light grey




Adjustable shelf

Made of steel. Lateral supports included

| Usable width mm | Usable depth mm | Height mm | Load capacity kg | Part. No. |
|-----------------|-----------------|-----------|------------------|-----------|
| 814 | 620 | 35 | 70 | 33-72048 |

Colour: Light grey RAL 7035



Retractable shelves

Made of high-quality sheet steel. Available in two versions (simple or total extension) with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

| Usable width mm | Usable depth mm | Height mm | Extension % | Load capacity kg * | Part. No. |
|-----------------|-----------------|-----------|-------------|--------------------|-----------|
| 765 | 612 | 75 | 85 | 100 | 10-43984 |
| 765 | 612 | 75 | 100 | 200 | 10-43985 |

* with load evenly distributed

Colours: see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 45 Eh Part. No. 06-00455
Kit: 30 pieces



Lower shelf

Made of high-quality steel

| Usable width mm | Usable depth mm | Height mm | Load capacity kg | Part. No. |
|-----------------|-----------------|-----------|------------------|-----------|
| 804 | 618 | 55 | 50 | 10-40034 |

Colour: Light grey RAL 7035

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 700 mm



03 02
50 S 50 S
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T



05 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
250 T 250 T



09 08
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

| Height: | Part. No. |
|-----------|-------------|
| 700 mm | 10-40700-03 |
| | 10-40700-02 |
| 5 Drawers | |

| Height: | Part. No. |
|-----------|-------------|
| 700 mm | 10-40700-05 |
| | 10-40700-06 |
| 5 Drawers | |

| Height: | Part. No. |
|-----------|-------------|
| 700 mm | 10-40700-09 |
| | 10-40700-08 |
| 6 Drawers | |

Height: 850 mm



03 02
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T



07 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
125 S 125 T
125 S 125 T
150 S 150 T



11 10
75 S 75 T
75 S 75 T
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

| Height: | Part. No. |
|-----------|-------------|
| 850 mm | 10-40850-03 |
| | 10-40850-02 |
| 7 Drawers | |

| Height: | Part. No. |
|-----------|-------------|
| 850 mm | 10-40850-07 |
| | 10-40850-06 |
| 7 Drawers | |

| Height: | Part. No. |
|-----------|-------------|
| 850 mm | 10-40850-11 |
| | 10-40850-10 |
| 8 Drawers | |



Partitioning material
see page 55



Drawers:
S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard colours:
RAL 5012 RAL 6011 RAL 7035 RAL 9010





Series 10

45x36 Eh

Height: 1000 mm



| | |
|-----------|-----------|
| 03 | 02 |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 300 S | 300 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-41000-03 |
| | 10-41000-02 |
| 6 Drawers | |



| | |
|-----------|-----------|
| 07 | 06 |
| 50 S | 50 S |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 200 S | 200 T |
| 300 S | 300 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-41000-07 |
| | 10-41000-06 |
| 7 Drawers | |



| | |
|-----------|-----------|
| 19 | 10 |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 200 S | 200 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-41000-19 |
| | 10-41000-10 |
| 7 Drawers | |



| | |
|-----------|-----------|
| 13 | 14 |
| 50 S | 50 S |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 250 T | 250 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-41000-13 |
| | 10-41000-14 |
| 8 Drawers | |



| | |
|-----------|-----------|
| 47 | 22 |
| 50 S | 50 S |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 200 S | 200 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-41000-47 |
| | 10-41000-22 |
| 8 Drawers | |



| | |
|-----------|-----------|
| 45 | 46 |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 200 S | 200 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-41000-45 |
| | 10-41000-46 |
| 8 Drawers | |



| | |
|-----------|-----------|
| 49 | 30 |
| 50 S | 50 S |
| 50 S | 50 S |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 200 S | 200 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-41000-49 |
| | 10-41000-30 |
| 9 Drawers | |



| | |
|-----------|-----------|
| 33 | 34 |
| 75 S | 75 T |
| 75 S | 75 T |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-41000-33 |
| | 10-41000-34 |
| 9 Drawers | |



| | |
|-----------|-----------|
| 53 | 54 |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-41000-53 |
| | 10-41000-54 |
| 9 Drawers | |

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010

50



Drawers:

S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard examples:

Height: 1000 mm



43 42
 50 S 50 S
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T



27 28
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T

| Height: | Part. No. |
|---------|-------------|
| 1000 mm | 10-41000-43 |
| | 10-41000-42 |

11 Drawers


| Height: | Part. No. |
|---------|-------------|
| 1000 mm | 10-41000-27 |
| | 10-41000-28 |

12 Drawers

Height: 1450 mm



11 02
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 300 S 300 T



05 06
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 1450 mm | 10-41450-11 |
| | 10-41450-02 |

9 Drawers

| Height: | Part. No. |
|---------|-------------|
| 1450 mm | 10-41450-05 |
| | 10-41450-06 |


9 Drawers



15 16
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T
 200 S 200 T
 200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 1450 mm | 10-41450-15 |
| | 10-41450-16 |

10 Drawers







13 08
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 1450 mm | 10-41450-13 |
| | 10-41450-08 |

13 Drawers



Partitioning material
 see page 55

Standard colours:
 RAL 5012  RAL 6011  RAL 7035  RAL 9010 



Series 10

45x36 Eh



Mobile cabinets

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in

increments of 25 mm to allow drawers to be adjusted accordingly. Complete with safety upstand raised edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or polyurethane. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 955 mm, Depth 733 mm.

| with nylon castors Ø 100 mm Part. No. | with polyurethane castors Ø 100 mm Part. No. | Total height mm | with polyurethane castors Ø 150 mm Part. No. | Total height mm | Usable height for drawers mm |
|---|--|--------------------|--|--------------------|---------------------------------|
| 10-49700 | 10-49710 | 857 | 10-49720 | 914 | 600 |
| 10-49850 | 10-49860 | 1007 | 10-49870 | 1064 | 750 |
| 10-49900 | 10-49910 | 1157 | 10-49920 | 1214 | 900 |

Max load capacity: 400 kg with load evenly distributed

Colours: see colour chart at the bottom of the page



nylon castors
(2 fixed and
2 swivel braked)



polyurethane castors
(2 fixed and
2 swivel braked)



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

| Front height mm | Usable height mm | Lateral height mm | Load capacity kg * | Single locking system on right Part. No. |
|--------------------|---------------------|----------------------|-----------------------|---|
| 50 S | 36 | 33 | 60 | 10-43052 |
| 75 S | 61 | 52 | 70 | 10-43077 |
| 75 T | 54 | 52 | 70 | 10-43078 |
| 100 S | 86 | 77 | 70 | 10-43102 |
| 100 T | 79 | 77 | 70 | 10-43103 |
| 125 S | 111 | 77 | 70 | 10-43127 |
| 125 T | 104 | 77 | 70 | 10-43128 |
| 150 S | 136 | 127 | 70 | 10-43152 |
| 150 T | 129 | 127 | 70 | 10-43153 |
| 200 S | 186 | 177 | 70 | 10-43202 |
| 200 T | 179 | 177 | 70 | 10-43203 |
| 250 T | 229 | 177 | 70 | 10-43253 |
| 300 S | 286 | 277 | 70 | 10-43302 |
| 300 T | 279 | 277 | 70 | 10-43303 |

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 45 Eh

Part. No. 06-00455

Kit: 30 pieces

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



All drawers with single locking system on right



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 914 mm



| | |
|-----------|-----------|
| 09 | 02 |
| 50 S | 50 S |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 200 S | 200 T |



| | |
|-----------|-----------|
| 05 | 06 |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 250 T | 250 T |



| | |
|-----------|-----------|
| 11 | 08 |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |

| Height: | Part. No. |
|---------|-------------|
| 914 mm | 10-49720-09 |
| | 10-49720-02 |

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat

| Height: | Part. No. |
|---------|-------------|
| 914 mm | 10-49720-05 |
| | 10-49720-06 |

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat

| Height: | Part. No. |
|---------|-------------|
| 914 mm | 10-49720-11 |
| | 10-49720-08 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1064 mm



| | |
|-----------|-----------|
| 11 | 02 |
| 50 S | 50 S |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 200 S | 200 T |



| | |
|-----------|-----------|
| 08 | 06 |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 125 S | 125 T |
| 125 S | 125 T |
| 150 S | 150 T |



| | |
|-----------|-----------|
| 13 | 10 |
| 75 S | 75 T |
| 75 S | 75 T |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |

| Height: | Part. No. |
|---------|-------------|
| 1064 mm | 10-49870-11 |
| | 10-49870-02 |

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

| Height: | Part. No. |
|---------|-------------|
| 1064 mm | 10-49870-08 |
| | 10-49870-06 |

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

| Height: | Part. No. |
|---------|-------------|
| 1064 mm | 10-49870-13 |
| | 10-49870-10 |

8 Drawers with single locking system on right
4-sided safety upstand with rubber mat



Partitioning material
see page 55



Drawers:
S = load capacity:70 kg - extension 85-90%
T = load capacity:70 kg - extension 100%



Standard examples are equipped
with 2 fixed and 2 swivel braked
polyurethane castors, Ø 150 mm



Series 10

45x36 Eh

Standard examples:

1
Height: 1214 mm



| | |
|-----------|-----------|
| 03 | 02 |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 300 S | 300 T |



| | |
|-----------|-----------|
| 19 | 10 |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 200 S | 200 T |



| | |
|-----------|-----------|
| 23 | 18 |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 200 S | 200 T |

| Height: | Part. No. |
|---------|-------------|
| 1214 mm | 10-49920-03 |
| | 10-49920-02 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat


| Height: | Part. No. |
|---------|-------------|
| 1214 mm | 10-49920-19 |
| | 10-49920-10 |

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

| Height: | Part. No. |
|---------|-------------|
| 1214 mm | 10-49920-23 |
| | 10-49920-18 |

8 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Standard colours:



Drawers:

S = load capacity:70 kg - extension 85-90%
T = load capacity:70 kg - extension 100%




Standard examples are equipped with 2 fixed and 2 swivel braked polyurethane castors, Ø 150 mm




Standard examples:


Partitioning material




| | |
|--|------------------------------|
| For front height: 50 mm and higher | Part. No. 07-40002 |
| 20 Troughs | 2-Trough |
| 40 Trough dividers | |




| | |
|--|------------------------------|
| For front height: 50 mm and higher | Part. No. 07-40003 |
| 20 Troughs | 3-Trough |
| 60 Trough dividers | |




| | |
|--|------------------------------|
| For front height: 50 mm and higher | Part. No. 07-40004 |
| 20 Troughs | 4-Trough |
| 80 Trough dividers | |




| | |
|-----------------------------------|------------------------------|
| For front height: 50 mm | Part. No. 07-41205 |
| 75 mm | 07-41207 |
| 100-125 mm | 07-41210 |
| 20 Plastic boxes | 150x150 mm |




| | |
|-----------------------------------|------------------------------|
| For front height: 50 mm | Part. No. 07-41405 |
| 75 mm | 07-41407 |
| 100-125 mm | 07-41410 |
| 20 Plastic boxes | 150x75 mm |
| 10 Plastic boxes | 150x150 mm |




| | |
|-----------------------------------|------------------------------|
| For front height: 75 mm | Part. No. 07-43307 |
| 100-125 mm | 07-43310 |
| 150 mm | 07-43315 |
| 200-250 mm | 07-43320 |
| 3 Slotted partitions | 36 Eh |
| 5 Aluminium dividers | 9 Eh |
| 10 Aluminium dividers | 12 Eh |



| | |
|-----------------------------------|------------------------------|
| For front height: 75 mm | Part. No. 07-43407 |
| 100-125 mm | 07-43410 |
| 150 mm | 07-43415 |
| 200-250 mm | 07-43420 |
| 4 Slotted partitions | 36 Eh |
| 21 Aluminium dividers | 9 Eh |



| | |
|-----------------------------------|------------------------------|
| For front height: 50 mm | Part. No. 07-43605 |
| 75 mm | 07-43607 |
| 100-125 mm | 07-43610 |
| 6 Slotted partitions | 36 Eh |
| 24 Aluminium dividers | 6 Eh |
| 1 Aluminium divider | 9 Eh |



| | |
|-----------------------------------|------------------------------|
| For front height: 75 mm | Part. No. 07-38407 |
| 100-125 mm | 07-38410 |
| 150 mm | 07-38415 |
| 200-250 mm | 07-38420 |
| 4 Plain partitions | 36 Eh |



Details of partitioning material on page 112



Label holders not included



Standard examples with slotted partitions are supplied with fixings



Series 10

54x36 Eh

Drawer cabinets

Width: 1023 mm - Depth: 725 mm


Drawer cabinets
see page 57



Mobile drawer cabinets
see page 62



Partitioning material
see page 65



Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010





5-year Guarantee




For your safety all cabinets
must be anchored using
floor bolts



Fixing material
for cabinets
Part. No.
06-00030






Cabinets housings

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted

accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

| Width mm | Depth mm | Height mm | Usable height mm | Part. No. |
|-------------|-------------|--------------|------------------------|-----------------|
| 1023 | 725 | 700 | 600 | 10-50700 |
| 1023 | 725 | 850 | 750 | 10-50850 |
| 1023 | 725 | 1000 | 900 | 10-51000 |
| 1023 | 725 | 1450 | 1350 | 10-51450 |

Colours: see colour chart at the bottom of the page



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

| Front height mm | Usable height mm | Lateral height mm | Load capacity kg * | Part. No. |
|-----------------------|------------------------|-------------------------|--------------------------|-----------------|
| 50 S | 36 | 33 | 60 | 10-53050 |
| 75 S | 61 | 52 | 80 | 10-53075 |
| 75 T | 54 | 52 | 200 | 10-53076 |
| 100 S | 86 | 77 | 100 | 10-53100 |
| 100 T | 79 | 77 | 200 | 10-53101 |
| 125 S | 111 | 77 | 100 | 10-53125 |
| 125 T | 104 | 77 | 200 | 10-53126 |
| 150 S | 136 | 127 | 100 | 10-53150 |
| 150 T | 129 | 127 | 200 | 10-53151 |
| 200 S | 186 | 177 | 100 | 10-53200 |
| 200 T | 179 | 177 | 200 | 10-53201 |
| 250 T | 229 | 177 | 200 | 10-53251 |
| 300 S | 286 | 277 | 100 | 10-53300 |
| 300 T | 279 | 277 | 200 | 10-53301 |

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Upstand raised edges on 3 sides

Made of high-quality steel

| Width mm | Depth mm | Height mm | Upstand with mat Part. No. | Smooth rubber mat Part. No. |
|-------------|-------------|--------------|----------------------------------|-----------------------------------|
| 1023 | 725 | 20 | 10-50025 | - |
| 1018 | 720 | 2 | - | 10-50022 |

Colour: Black



Cabinet bases

Made of high-quality steel

| | Width mm | Depth mm | Height mm | Part. No. |
|----------------------|-------------|-------------|--------------|-----------------|
| 1 Base plinth | 1023 | 693 | 50 | 05-45405 |
| 2 Pallet base | 1023 | 659 | 100 | 05-23610 |
| 3 Cover plate | 1023 | - | 100 | 05-35410 |

Colour: Black



Card insert and cellophane (spare part)

For drawers: 54 Eh

Part. No. **06-00545**

Kit: 30 pieces



Partitioning material
see page 65



Load capacity is intended
for evenly distributed loads

Standard colours:

| RAL 5012 | RAL 6011 | RAL 7035 | RAL 9010 |
|----------|----------|----------|----------|
| | | | |



Series 10

54x36 Eh




Cabinet housings

Made of high-quality sheet steel. Housing sides and bases are welded with high resistance products, environmentally friendly. Available in 2 different heights with uprights slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Equipped with locking bar.

| Width mm | Depth mm | Height mm | Usable height mm | Part. No. |
|----------|----------|-----------|------------------|-----------|
| 1023 | 725 | 850 | 750 | 10-50860 |
| 1023 | 725 | 1000 | 900 | 10-51010 |

Colours: see colour chart at the bottom of the page



Perforated back panel


Made of high-quality steel

| Width mm | Height mm | Usable height mm | Part. No. |
|----------|-----------|------------------|-----------|
| 1023 | 1104 | 608 | 10-50100 |

Colour: Light grey RAL 7035



Hooks see page 249



Work surfaces for cabinets

| Width mm | Depth mm | Thickness mm | Plastic laminated Part. No. | Linoplex Part. No. |
|----------|----------|--------------|-----------------------------|--------------------|
| 1023 | 750 | 30 | 10-50014 | 10-50016 |

Colour: Plastic laminated/Linoplex Light grey




Adjustable shelf

Made of steel. Lateral supports included

| Usable width mm | Usable depth mm | Height mm | Load capacity kg | Part. No. |
|-----------------|-----------------|-----------|------------------|-----------|
| 964 | 620 | 35 | 70 | 33-72058 |

Colour: Light grey RAL 7035



Retractable shelves

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

| Usable width mm | Usable depth mm | Height mm | Extension % | Load capacity kg * | Part. No. |
|-----------------|-----------------|-----------|-------------|--------------------|-----------|
| 918 | 612 | 75 | 85 | 100 | 10-53984 |
| 918 | 612 | 75 | 100 | 200 | 10-53985 |

* with load evenly distributed

Colours: see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 54 Eh

Part. No. 06-00545

Kit: 30 pieces



Lower shelf

Made of high-quality steel

| Usable width mm | Usable depth mm | Height mm | Load capacity kg | Part. No. |
|-----------------|-----------------|-----------|------------------|-----------|
| 957 | 618 | 55 | 50 | 10-50034 |

Colour: Light grey RAL 7035

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 700 mm



04 02
100 S 100 T
150 S 150 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|-----------|-------------|
| 700 mm | 10-50700-04 |
| | 10-50700-02 |
| 4 Drawers | |



08 06
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|-----------|-------------|
| 700 mm | 10-50700-08 |
| | 10-50700-06 |
| 5 Drawers | |



11 10
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

| Height: | Part. No. |
|-----------|-------------|
| 700 mm | 10-50700-11 |
| | 10-50700-10 |
| 6 Drawers | |

Height: 850 mm



04 02
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
300 S 300 T

| Height: | Part. No. |
|-----------|-------------|
| 850 mm | 10-50850-04 |
| | 10-50850-02 |
| 5 Drawers | |



05 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
250 T 250 T

| Height: | Part. No. |
|-----------|-------------|
| 850 mm | 10-50850-05 |
| | 10-50850-06 |
| 6 Drawers | |



12 10
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|-----------|-------------|
| 850 mm | 10-50850-12 |
| | 10-50850-10 |
| 7 Drawers | |



Partitioning material
see page 65



Drawers:
S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard colours:
RAL 5012 RAL 6011 RAL 7035 RAL 9010





Series 10

54x36 Eh

Height: 1000 mm



| | |
|-----------|-----------|
| 04 | 02 |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 300 S | 300 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-51000-04 |
| | 10-51000-02 |
| 6 Drawers | |



| | |
|-----------|-----------|
| 08 | 06 |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 200 S | 200 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-51000-08 |
| | 10-51000-06 |
| 7 Drawers | |



| | |
|-----------|-----------|
| 12 | 10 |
| 50 S | 50 S |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 200 S | 200 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-51000-12 |
| | 10-51000-10 |
| 8 Drawers | |



| | |
|-----------|-----------|
| 16 | 14 |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 200 S | 200 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-51000-16 |
| | 10-51000-14 |
| 8 Drawers | |



| | |
|-----------|-----------|
| 17 | 18 |
| 50 S | 50 S |
| 50 S | 50 S |
| 50 S | 50 S |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 250 T | 250 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-51000-17 |
| | 10-51000-18 |
| 9 Drawers | |



| | |
|-----------|-----------|
| 27 | 22 |
| 50 S | 50 S |
| 50 S | 50 S |
| 75 S | 75 T |
| 75 S | 75 T |
| 75 S | 75 T |
| 75 S | 75 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 200 S | 200 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-51000-27 |
| | 10-51000-22 |
| 9 Drawers | |



| | |
|-----------|-----------|
| 29 | 30 |
| 50 S | 50 S |
| 50 S | 50 S |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 200 S | 200 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-51000-29 |
| | 10-51000-30 |
| 9 Drawers | |



| | |
|-----------|-----------|
| 33 | 34 |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-51000-33 |
| | 10-51000-34 |
| 9 Drawers | |



| | |
|-----------|-----------|
| 35 | 36 |
| 75 S | 75 T |
| 75 S | 75 T |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 10-51000-35 |
| | 10-51000-36 |
| 9 Drawers | |

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010

60



Drawers:

S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard examples:

Height: 1450 mm



04 02
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T
 200 S 200 T
 300 S 300 T

| | |
|---------------------------|--|
| Height: 1450 mm | Part. No. 10-51450-04 10-51450-02 |
| 9 Drawers | |



13 14
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 300 S 300 T

| | |
|---------------------------|--|
| Height: 1450 mm | Part. No. 10-51450-13 10-51450-14 |
| 9 Drawers | |



33 34
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T

| | |
|---------------------------|--|
| Height: 1450 mm | Part. No. 10-51450-33 10-51450-34 |
| 9 Drawers | |




08 06
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T
 200 S 200 T
 200 S 200 T

| | |
|---------------------------|--|
| Height: 1450 mm | Part. No. 10-51450-08 10-51450-06 |
| 10 Drawers | |



12 10
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T
 200 S 200 T

| | |
|---------------------------|--|
| Height: 1450 mm | Part. No. 10-51450-12 10-51450-10 |
| 11 Drawers | |







17 18
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T

| | |
|---------------------------|--|
| Height: 1450 mm | Part. No. 10-51450-17 10-51450-18 |
| 13 Drawers | |



Partitioning material
see page 65

Standard colours:
 RAL 5012  RAL 6011  RAL 7035  RAL 9010 



Series 10

54x36 Eh



Mobile cabinets

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly.

Complete with safety upstand raised edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or polyurethane. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 1108 mm, Depth 733 mm.

| with nylon castors Ø 100 mm Part. No. | with polyurethane castors Ø 100 mm Part. No. | Total height mm | with polyurethane castors Ø 150 mm Part. No. | Total height mm | Usable height for drawers mm |
|---|--|--------------------|--|--------------------|---------------------------------|
| 10-59700 | 10-59710 | 857 | 10-59720 | 914 | 600 |
| 10-59850 | 10-59860 | 1007 | 10-59870 | 1064 | 750 |
| 10-59900 | 10-59910 | 1157 | 10-59920 | 1214 | 900 |

Max load capacity: 400 kg with load evenly distributed


Colours: see colour chart at the bottom of the page



nylon castors
(2 fixed and
2 swivel braked)



polyurethane castors
(2 fixed and
2 swivel braked)



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

| Front height mm | Usable height mm | Lateral height mm | Load capacity kg * | Single locking system on right Part. No. |
|--------------------|---------------------|----------------------|-----------------------|--|
| 50 S | 36 | 33 | 60 | 10-53052 |
| 75 S | 61 | 52 | 70 | 10-53077 |
| 75 T | 54 | 52 | 70 | 10-53078 |
| 100 S | 86 | 77 | 70 | 10-53102 |
| 100 T | 79 | 77 | 70 | 10-53103 |
| 125 S | 111 | 77 | 70 | 10-53127 |
| 125 T | 104 | 77 | 70 | 10-53128 |
| 150 S | 136 | 127 | 70 | 10-53152 |
| 150 T | 129 | 127 | 70 | 10-53153 |
| 200 S | 186 | 177 | 70 | 10-53202 |
| 200 T | 179 | 177 | 70 | 10-53203 |
| 250 T | 229 | 177 | 70 | 10-53253 |
| 300 S | 286 | 277 | 70 | 10-53302 |
| 300 T | 279 | 277 | 70 | 10-53303 |

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 54 Eh

Part. No. 06-00545

Kit: 30 pieces

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



All drawers with single locking system on right



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 914 mm



04 02
100 S 100 T
150 S 150 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 914 mm | 10-59720-04 |
| | 10-59720-02 |

4 Drawers with single locking system on right
4-sided safety upstand with rubber mat



08 06
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 914 mm | 10-59720-08 |
| | 10-59720-06 |

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



13 10
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 914 mm | 10-59720-13 |
| | 10-59720-10 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1064 mm



03 02
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
300 S 300 T

| Height: | Part. No. |
|---------|-------------|
| 1064 mm | 10-59870-03 |
| | 10-59870-02 |

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



05 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
250 T 250 T

| Height: | Part. No. |
|---------|-------------|
| 1064 mm | 10-59870-05 |
| | 10-59870-06 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat



13 10
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 1064 mm | 10-59870-13 |
| | 10-59870-10 |

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat



Partitioning material
see page 65



Drawers:
S = load capacity:70 kg - extension 85-90%
T = load capacity:70 kg - extension 100%



Standard examples are equipped
with 2 fixed and 2 swivel braked
polyurethane castors, Ø 150 mm



Series 10

54x36 Eh

Standard examples:

Height: 1214 mm



04 02
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 300 S 300 T



31 06
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 200 S 200 T



12 10
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 1214 mm | 10-59920-04 |
| | 10-59920-02 |


6 Drawers with single locking system on right
 4-sided safety upstand with rubber mat

| Height: | Part. No. |
|---------|-------------|
| 1214 mm | 10-59920-31 |
| | 10-59920-06 |

7 Drawers with single locking system on right
 4-sided safety upstand with rubber mat

| Height: | Part. No. |
|---------|-------------|
| 1214 mm | 10-59920-12 |
| | 10-59920-10 |

8 Drawers with single locking system on right
 4-sided safety upstand with rubber mat



Standard colours:

- RAL 5012
- RAL 6011
- RAL 7035
- RAL 9010



Drawers:

- S = load capacity:70 kg - extension 85-90%
- T = load capacity:70 kg - extension 100%




Standard examples are equipped with 2 fixed and 2 swivel braked polyurethane castors, Ø 150 mm




Standard examples:


Partitioning material




| For front height: | Part. No. |
|--------------------|-----------|
| 50 mm and higher | 07-50034 |
| 8 Troughs | 3-Trough |
| 10 Trough dividers | |
| 16 Troughs | 4-Trough |
| 30 Trough dividers | |




| For front height: | Part. No. |
|--------------------|-----------|
| 50 mm and higher | 07-50234 |
| 8 Troughs | 2-Trough |
| 6 Trough dividers | |
| 8 Troughs | 3-Trough |
| 10 Trough dividers | |
| 8 Troughs | 4-Trough |
| 15 Trough dividers | |




| For front height: | Part. No. |
|-------------------|------------|
| 50 mm | 07-51205 |
| 75 mm | 07-51207 |
| 100-125 mm | 07-51210 |
| 24 Plastic boxes | 150x150 mm |




| For front height: | Part. No. |
|-------------------|------------|
| 50 mm | 07-51605 |
| 75 mm | 07-51607 |
| 100-125 mm | 07-51610 |
| 24 Plastic boxes | 150x75 mm |
| 12 Plastic boxes | 150x150 mm |




| For front height: | Part. No. |
|-------------------|------------|
| 50 mm | 07-51505 |
| 75 mm | 07-51507 |
| 20 Plastic boxes | 75x75 mm |
| 14 Plastic boxes | 150x75 mm |
| 12 Plastic boxes | 150x150 mm |




| For front height: | Part. No. |
|----------------------|-----------|
| 50 mm | 07-53405 |
| 75 mm | 07-53407 |
| 100-125 mm | 07-53410 |
| 150 mm | 07-53415 |
| 200-250 mm | 07-53420 |
| 300 mm | 07-53430 |
| 4 Slotted partitions | 36 Eh |
| 2 Aluminium dividers | 9 Eh |
| 3 Aluminium dividers | 12 Eh |



| For front height: | Part. No. |
|-----------------------|-----------|
| 50 mm | 07-53505 |
| 75 mm | 07-53507 |
| 100-125 mm | 07-53510 |
| 150 mm | 07-53515 |
| 200-250 mm | 07-53520 |
| 300 mm | 07-53530 |
| 5 Slotted partitions | 36 Eh |
| 12 Aluminium dividers | 9 Eh |



| For front height: | Part. No. |
|----------------------|-----------|
| 50 mm | 07-53605 |
| 75 mm | 07-53607 |
| 100-125 mm | 07-53610 |
| 6 Slotted partitions | 36 Eh |
| 6 Aluminium dividers | 6 Eh |
| 3 Aluminium dividers | 9 Eh |
| 1 Aluminium divider | 12 Eh |



| For front height: | Part. No. |
|-----------------------|-----------|
| 50 mm | 07-53705 |
| 75 mm | 07-53707 |
| 100-125 mm | 07-53710 |
| 7 Slotted partitions | 36 Eh |
| 12 Aluminium dividers | 6 Eh |
| 2 Aluminium dividers | 9 Eh |



Details of partitioning material on page 112



Label holders not included



Standard examples with slotted partitions are supplied with fixing




Series 10

64x36 Eh

Drawer cabinets

Width: 1193 mm - Depth: 725 mm




Drawer cabinets
see page 67



Mobile drawer cabinets
see page 71



Partitioning material
see page 70




Standard colours:

| | | | |
|----------|----------|----------|----------|
| RAL 5012 | RAL 6011 | RAL 7035 | RAL 9010 |
| | | | |

G5
5-year Guarantee

For your safety all cabinets must be anchored using floor bolts

Fixing material for cabinets
Part. No. **06-00030**






Cabinets housings

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted

accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

| Width mm | Depth mm | Height mm | Usable height mm | Part. No. |
|-------------|-------------|--------------|------------------------|-----------------|
| 1193 | 725 | 700 | 600 | 10-60700 |
| 1193 | 725 | 1000 | 900 | 10-61000 |
| 1193 | 725 | 1325 | 1225 | 10-61320 |
| 1193 | 725 | 1450 | 1350 | 10-61450 |

Colours: see colour chart at the bottom of the page



Drawers

Made of high-quality sheet steel.

Available in total extension only with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

| Front height mm | Usable height mm | Lateral height mm | Load capacity kg * | Part. No. |
|-----------------------|------------------------|-------------------------|--------------------------|-----------------|
| 75 T | 54 | 52 | 150 | 10-63076 |
| 100 T | 79 | 77 | 150 | 10-63101 |
| 125 T | 104 | 77 | 150 | 10-63126 |
| 150 T | 129 | 127 | 150 | 10-63151 |
| 200 T | 179 | 177 | 150 | 10-63201 |
| 250 T | 229 | 177 | 150 | 10-63251 |
| 300 T | 279 | 277 | 150 | 10-63301 |

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Upstand raised edges on 3 sides

Made of high-quality steel

| Width mm | Depth mm | Height mm | Upstand with mat Part. No. | Smooth rubber mat Part. No. |
|-------------|-------------|--------------|----------------------------------|-----------------------------------|
| 1193 | 725 | 20 | 10-60025 | - |
| 1188 | 720 | 2 | - | 10-60022 |

Colour: Black




Card insert and cellophane (spare part)

For drawers: 64 Eh

Part. No. **06-00645**

Kit: 30 pieces



Cabinet bases

Made of high-quality steel

| | Width mm | Depth mm | Height mm | Part. No. |
|----------------------|-------------|-------------|--------------|-----------------|
| 1 Base plinth | 1193 | 693 | 50 | 05-46405 |
| 2 Pallet base | 1193 | 659 | 100 | 05-23610 |
| 3 Cover plate | 1193 | - | 100 | 05-36410 |

Colour: Black







Partitioning material
see page 70



Load capacity is intended
for evenly distributed loads

Standard colours:

| RAL 5012 | RAL 6011 | RAL 7035 | RAL 9010 |
|---|---|---|---|
|  |  |  |  |



Series 10

64x36 Eh




Cabinet housings

Made of high-quality sheet steel. Housing sides and bases are welded with high resistance products, environmentally friendly. Available in 2 different heights with uprights slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Equipped with locking bar.

| Width mm | Depth mm | Height mm | Usable height mm | Part. No. |
|----------|----------|-----------|------------------|-----------------|
| 1193 | 725 | 1000 | 900 | 10-61010 |

Colours: see colour chart at the bottom of the page



Perforated back panel


Made of high-quality steel

| Width mm | Height mm | Usable height mm | Part. No. |
|----------|-----------|------------------|-----------------|
| 1193 | 1104 | 608 | 10-60100 |

Colour: Light grey RAL 7035



Hooks see page 249



Work surfaces for cabinets

| Width mm | Depth mm | Thickness mm | Plastic laminated Part. No. | Linoplex Part. No. |
|----------|----------|--------------|-----------------------------|--------------------|
| 1193 | 750 | 30 | 10-60014 | 10-60016 |

Colour: Plastic laminated/Linoplex Light grey




Adjustable shelf

Made of steel. Lateral supports included

| Usable width mm | Usable depth mm | Height mm | Load capacity kg | Part. No. |
|-----------------|-----------------|-----------|------------------|-----------------|
| 1137 | 620 | 35 | 70 | 33-72068 |

Colour: Light grey RAL 7035



Retractable shelf

Made of high-quality sheet steel. Available in total extension only with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

| Usable width mm | Usable depth mm | Height mm | Extension % | Load capacity kg* | Part. No. |
|-----------------|-----------------|-----------|-------------|-------------------|-----------------|
| 1088 | 612 | 75 | 100 | 150 | 10-63985 |

* with load evenly distributed

Colours: see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 64 Eh

Part. No. **06-00645**

Kit: 30 pieces



Lower shelf

Made of high-quality steel

| Usable width mm | Usable depth mm | Height mm | Load capacity kg | Part. No. |
|-----------------|-----------------|-----------|------------------|-----------------|
| 1130 | 618 | 55 | 50 | 10-60034 |

Colour: Light grey RAL 7035

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 700 mm



01
100 T
150 T
150 T
200 T

| | |
|--------------------------|---------------------------------|
| Height: 700 mm | Part. No. 10-60700-01 |
| 4 Drawers | |



03
75 T
75 T
100 T
150 T
200 T

| | |
|--------------------------|---------------------------------|
| Height: 700 mm | Part. No. 10-60700-03 |
| 5 Drawers | |



05
75 T
75 T
100 T
100 T
100 T
150 T

| | |
|--------------------------|---------------------------------|
| Height: 700 mm | Part. No. 10-60700-05 |
| 6 Drawers | |

Height: 1000 mm



01
75 T
75 T
100 T
100 T
150 T
200 T
200 T

| | |
|---------------------------|---------------------------------|
| Height: 1000 mm | Part. No. 10-61000-01 |
| 7 Drawers | |



03
75 T
75 T
100 T
100 T
100 T
100 T
150 T
200 T

| | |
|---------------------------|---------------------------------|
| Height: 1000 mm | Part. No. 10-61000-03 |
| 8 Drawers | |



05
75 T
75 T
100 T
100 T
100 T
150 T
150 T
150 T

| | |
|---------------------------|---------------------------------|
| Height: 1000 mm | Part. No. 10-61000-05 |
| 8 Drawers | |

Height: 1325 mm



01
100 T
100 T
100 T
100 T
125 T
150 T
150 T
200 T
200 T

| | |
|---------------------------|---------------------------------|
| Height: 1325 mm | Part. No. 10-61320-01 |
| 9 Drawers | |



03
75 T
75 T
75 T
100 T
100 T
150 T
150 T
150 T
200 T

| | |
|---------------------------|---------------------------------|
| Height: 1325 mm | Part. No. 10-61320-03 |
| 10 Drawers | |



05
75 T
75 T
75 T
75 T
75 T
100 T
100 T
150 T
150 T
150 T
200 T

| | |
|---------------------------|---------------------------------|
| Height: 1325 mm | Part. No. 10-61320-05 |
| 11 Drawers | |







Partitioning material
see page 70



Drawers:
T = load capacity: 150 kg - extension 100%

Standard colours:

RAL 5012  RAL 6011  RAL 7035  RAL 9010 



Series 10

64x36 Eh

Standard examples:

Height: 1450 mm



01
150 T
150 T
125 T
75 T
100 T
100 T
100 T
100 T
150 T
200 T
200 T

| | |
|---------------------------|---------------------------------|
| Height: 1450 mm | Part. No. 10-61450-01 |
| 10 Drawers | |



03
150 T
125 T
75 T
100 T
100 T
100 T
100 T
100 T
150 T
150 T
200 T


| | |
|---------------------------|---------------------------------|
| Height: 1450 mm | Part. No. 10-61450-03 |
| 11 Drawers | |




05
150 T
125 T
75 T
75 T
75 T
100 T
100 T
100 T
100 T
100 T
150 T
150 T
200 T

| | |
|---------------------------|---------------------------------|
| Height: 1450 mm | Part. No. 10-61450-05 |
| 12 Drawers | |


Partitioning material




| | |
|--------------------------|------------------|
| For front height: | Part. No. |
| 75 mm | 07-63407 |
| 100-125 mm | 07-63410 |
| 150 mm | 07-63415 |
| 4 Slotted partitions | 36 Eh |
| 3 Aluminium dividers | 9 Eh |
| 3 Aluminium dividers | 10 Eh |
| 9 Aluminium dividers | 15 Eh |



| | |
|--------------------------|------------------|
| For front height: | Part. No. |
| 75 mm | 07-63507 |
| 100-125 mm | 07-63510 |
| 150 mm | 07-63515 |
| 5 Slotted partitions | 36 Eh |
| 2 Aluminium dividers | 9 Eh |
| 1 Aluminium divider | 10 Eh |
| 3 Aluminium dividers | 12 Eh |



| | |
|--------------------------|------------------|
| For front height: | Part. No. |
| 75 mm | 07-68607 |
| 100-125 mm | 07-68610 |
| 150 mm | 07-68615 |
| 200-250 mm | 07-68620 |
| 300 mm | 07-68630 |
| 6 Plain partitions | 36 Eh |



| | |
|--------------------------|------------------|
| For front height: | Part. No. |
| 75 mm | 07-69207 |
| 100-125 mm | 07-69210 |
| 150 mm | 07-69215 |
| 200-250 mm | 07-69220 |
| 300 mm | 07-69230 |
| 2 Plain partitions | 64 Eh |

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



Details of partitioning material on page 112



Drawers:

T = load capacity: 150 kg - extension 100%



Mobile cabinets

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly. Complete with safety upstand raised edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or polyurethane. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 1278 mm, Depth 733 mm.

Width 1278 mm, Depth 733 mm.

| with nylon castors Ø 100 mm Part. No. | with polyurethane castors Ø 100 mm Part. No. | Total height mm | with polyurethane castors Ø 150 mm Part. No. | Total height mm | Usable height for drawers mm |
|---|--|--------------------|--|--------------------|---------------------------------|
| 10-69700 | 10-69710 | 857 | 10-69720 | 914 | 600 |
| 10-69900 | 10-69910 | 1157 | 10-69920 | 1214 | 900 |

Max load capacity: 400 kg with load evenly distributed


Colours: see colour chart at the bottom of the page



nylon castors
(2 fixed and
2 swivel braked)



polyurethane castors
(2 fixed and
2 swivel braked)



Drawers

Made of high-quality sheet steel.

Available in total extension only with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

| Front height mm | Usable height mm | Lateral height mm | Load capacity kg * | Single locking system on right Part. No. |
|--------------------|---------------------|----------------------|-----------------------|---|
| 75 T | 54 | 52 | 70 | 10-63078 |
| 100 T | 79 | 77 | 70 | 10-63103 |
| 125 T | 104 | 77 | 70 | 10-63128 |
| 150 T | 129 | 127 | 70 | 10-63153 |
| 200 T | 179 | 177 | 70 | 10-63203 |
| 250 T | 229 | 177 | 70 | 10-63253 |
| 300 T | 279 | 277 | 70 | 10-63303 |

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 64 Eh

Part. No. **06-00645**

Kit: 30 pieces



All drawers with single locking system on right



Load capacity is intended for evenly distributed loads

Standard colours:

| | | | |
|----------|----------|----------|----------|
| RAL 5012 | RAL 6011 | RAL 7035 | RAL 9010 |
| | | | |



Series 10

78x36 Eh

Drawer cabinets

Width: 1431 mm - Depth: 725 mm



Drawer cabinets
see page 73



Mobile drawer cabinets
see page 77



Partitioning material
see page 76




Standard colours:

| | | | |
|----------|----------|----------|----------|
| RAL 5012 | RAL 6011 | RAL 7035 | RAL 9010 |
| | | | |

G5
5-year Guarantee

For your safety all cabinets must be anchored using floor bolts

Fixing material for cabinets
Part. No. **06-00030**





Cabinets housings

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

| Width mm | Depth mm | Height mm | Usable height mm | Part. No. |
|----------|----------|-----------|------------------|-----------------|
| 1431 | 725 | 700 | 600 | 10-70700 |
| 1431 | 725 | 1000 | 900 | 10-71000 |
| 1431 | 725 | 1325 | 1225 | 10-71320 |
| 1431 | 725 | 1450 | 1350 | 10-71450 |

Colours: see colour chart at the bottom of the page




Upstand raised edges on 3 sides

Made of high-quality steel

| Width mm | Depth mm | Height mm | Upstand with mat Part. No. | Smooth rubber mat Part. No. |
|----------|----------|-----------|----------------------------|-----------------------------|
| 1431 | 725 | 20 | 10-70025 | - |
| 1426 | 720 | 2 | - | 10-70022 |

Colour: Black



Cabinet bases

Made of high-quality steel

| | Width mm | Depth mm | Height mm | Part. No. |
|----------------------|----------|----------|-----------|-----------------|
| 1 Base plinth | 1431 | 693 | 50 | 05-47805 |
| 2 Pallet base | 1431 | 659 | 100 | 05-23610 |
| 3 Cover plate | 1431 | - | 100 | 05-37810 |

Colour: Black



Drawers

T

Made of high-quality sheet steel.

Available in total extension only with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

| Front height mm | Usable height mm | Lateral height mm | Load capacity kg * | Part. No. |
|-----------------|------------------|-------------------|--------------------|-----------------|
| 75 T | 54 | 52 | 150 | 10-73076 |
| 100 T | 79 | 77 | 150 | 10-73101 |
| 125 T | 104 | 77 | 150 | 10-73126 |
| 150 T | 129 | 127 | 150 | 10-73151 |
| 175 T | 154 | 127 | 150 | 10-73176 |
| 200 T | 179 | 177 | 150 | 10-73201 |
| 250 T | 229 | 177 | 150 | 10-73251 |
| 300 T | 279 | 277 | 150 | 10-73301 |

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 78 Eh

Part. No. **06-00785**

Kit: 30 pieces




Partitioning material
see page 76



Load capacity is intended
for evenly distributed loads

Standard colours:





Series 10

78x36 Eh




Cabinet housings

Made of high-quality sheet steel. Housing sides and bases are welded with high resistance products, environmentally friendly. Available in one height only with uprights slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Equipped with locking bar.

| Width mm | Depth mm | Height mm | Usable height mm | Part. No. |
|----------|----------|-----------|------------------|-----------|
| 1431 | 725 | 1000 | 900 | 10-71010 |

Colours: see colour chart at the bottom of the page



Perforated back panel


Made of high-quality steel

| Width mm | Height mm | Usable height mm | Part. No. |
|----------|-----------|------------------|-----------|
| 1431 | 1104 | 608 | 10-70100 |

Colour: Light grey RAL 7035



Hooks see page 249



Work surfaces for cabinets

| Width mm | Depth mm | Thickness mm | Plastic laminated Part. No. | Linoplex Part. No. |
|----------|----------|--------------|-----------------------------|--------------------|
| 1431 | 750 | 30 | 10-70014 | 10-70016 |

Colour: Plastic laminated/Linoplex Light grey




Adjustable shelf

Made of steel. Lateral supports included

| Usable width mm | Usable depth mm | Height mm | Load capacity kg | Part. No. |
|-----------------|-----------------|-----------|------------------|-----------|
| 1372 | 620 | 35 | 70 | 33-72078 |

Colour: Light grey RAL 7035




Retractable shelf

Made of high-quality sheet steel. Available in total extension only with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

| Usable width mm | Usable depth mm | Height mm | Extension % | Load capacity kg * | Part. No. |
|-----------------|-----------------|-----------|-------------|--------------------|-----------|
| 1326 | 612 | 75 | 100 | 150 | 10-73985 |

* with load evenly distributed

Colours: see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 78 Eh

Part. No. 06-00785

Kit: 30 pieces



Lower shelf

Made of high-quality steel

| Usable width mm | Usable depth mm | Height mm | Load capacity kg | Part. No. |
|-----------------|-----------------|-----------|------------------|-----------|
| 1368 | 618 | 55 | 50 | 10-70034 |

Colour: Light grey RAL 7035

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 700 mm



01
100 T
150 T
150 T
200 T

Height: 700 mm
Part. No. 10-70700-01
4 Drawers



03
75 T
75 T
100 T
150 T
200 T

Height: 700 mm
Part. No. 10-70700-03
5 Drawers



05
75 T
75 T
100 T
100 T
100 T
150 T

Height: 700 mm
Part. No. 10-70700-05
6 Drawers

Height: 1000 mm



01
75 T
75 T
100 T
100 T
150 T
200 T
200 T

Height: 1000 mm
Part. No. 10-71000-01
7 Drawers



03
75 T
75 T
100 T
100 T
100 T
100 T
150 T
200 T

Height: 1000 mm
Part. No. 10-71000-03
8 Drawers



05
75 T
75 T
100 T
100 T
100 T
150 T
150 T
150 T

Height: 1000 mm
Part. No. 10-71000-05
8 Drawers

Height: 1325 mm



01
100 T
100 T
100 T
100 T
125 T
150 T
150 T
200 T
200 T

Height: 1325 mm
Part. No. 10-71320-01
9 Drawers



03
75 T
75 T
75 T
100 T
100 T
150 T
150 T
150 T
150 T
200 T

Height: 1325 mm
Part. No. 10-71320-03
10 Drawers



05
75 T
75 T
75 T
75 T
100 T
100 T
150 T
150 T
150 T
150 T
200 T

Height: 1325 mm
Part. No. 10-71320-05
11 Drawers



Partitioning material
see page 76



Drawers:
T = load capacity: 150 kg - extension 100%

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010





Series 10

78x36 Eh

Standard examples:

Height: 1450 mm



01
150 T
150 T
125 T
75 T
100 T
100 T
100 T
100 T
150 T
200 T
200 T

| | |
|---------------------------|---------------------------------|
| Height: 1450 mm | Part. No. 10-71450-01 |
| 10 Drawers | |



03
150 T
125 T
75 T
100 T
100 T
100 T
100 T
100 T
100 T
150 T
150 T
200 T


| | |
|---------------------------|---------------------------------|
| Height: 1450 mm | Part. No. 10-71450-03 |
| 11 Drawers | |




05
150 T
125 T
75 T
75 T
75 T
100 T
100 T
100 T
100 T
100 T
100 T
150 T
150 T
200 T

| | |
|---------------------------|---------------------------------|
| Height: 1450 mm | Part. No. 10-71450-05 |
| 12 Drawers | |


Partitioning material




| | |
|--------------------------|------------------|
| For front height: | Part. No. |
| 75 mm | 07-73507 |
| 100-125 mm | 07-73510 |
| 150-175 mm | 07-73515 |
| 5 Slotted partitions | 36 Eh |
| 2 Aluminium dividers | 9 Eh |
| 2 Aluminium dividers | 12 Eh |
| 2 Aluminium dividers | 18 Eh |



| | |
|--------------------------|------------------|
| For front height: | Part. No. |
| 75 mm | 07-73607 |
| 100-125 mm | 07-73610 |
| 150-175 mm | 07-73615 |
| 6 Slotted partitions | 36 Eh |
| 4 Aluminium dividers | 9 Eh |
| 2 Aluminium dividers | 12 Eh |
| 1 Aluminium divider | 18 Eh |




| | |
|--------------------------|------------------|
| For front height: | Part. No. |
| 75 mm | 07-68607 |
| 100-125 mm | 07-68610 |
| 150-175 mm | 07-68615 |
| 200-250 mm | 07-68620 |
| 300 mm | 07-68630 |
| 6 Plain partitions | 36 Eh |



| | |
|--------------------------|------------------|
| For front height: | Part. No. |
| 75 mm | 07-79207 |
| 100-125 mm | 07-79210 |
| 150-175 mm | 07-79215 |
| 200-250 mm | 07-79220 |
| 300 mm | 07-79230 |
| 2 Plain partitions | 78 Eh |

Standard colours:



Details of partitioning material on page 112



Drawers:

T = load capacity: 150 kg - extension 100%



Mobile cabinets

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly. Complete with safety upstand raised edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or polyurethane. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 1516 mm, Depth 733 mm.

Width 1516 mm, Depth 733 mm.

| with nylon castors Ø 100 mm Part. No. | with polyurethane castors Ø 100 mm Part. No. | Total height mm | with polyurethane castors Ø 150 mm Part. No. | Total height mm | Usable height for drawers mm |
|---|--|--------------------|--|--------------------|---------------------------------|
| 10-79700 | 10-79710 | 857 | 10-79720 | 914 | 600 |
| 10-79900 | 10-79910 | 1157 | 10-79920 | 1214 | 900 |

Max load capacity: 400 kg with load evenly distributed


Colours: see colour chart at the bottom of the page



nylon castors
(2 fixed and
2 swivel braked)



polyurethane castors
(2 fixed and
2 swivel braked)



Drawers

Made of high-quality sheet steel.

Available in total extension only with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

| Front height mm | Usable height mm | Lateral height mm | Load capacity kg * | Single locking system on right Part. No. |
|--------------------|---------------------|----------------------|-----------------------|---|
| 75 T | 54 | 52 | 70 | 10-73078 |
| 100 T | 79 | 77 | 70 | 10-73103 |
| 125 T | 104 | 77 | 70 | 10-73128 |
| 150 T | 129 | 127 | 70 | 10-73153 |
| 175 T | 154 | 127 | 70 | 10-73178 |
| 200 T | 179 | 177 | 70 | 10-73203 |
| 250 T | 229 | 177 | 70 | 10-73253 |
| 300 T | 279 | 277 | 70 | 10-73303 |

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 78 Eh

Part. No. **06-00785**





Kit: 30 pieces



All drawers with single locking system on right



Load capacity is intended for evenly distributed loads

Standard colours:
RAL 5012  RAL 6011  RAL 7035  RAL 9010 




Series 11

27x27 Eh

Drawer cabinets

Width: 564 mm - Depth: 572 mm




Drawer cabinets
see page 79



Mobile drawer cabinets
see page 87



Partitioning material
see page 90



Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010





5-year Guarantee



For your safety all cabinets
must be anchored using
floor bolts



Fixing material
for cabinets
Part. No.
06-00030





Cabinets housings

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly.

Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

| Width mm | Depth mm | Height mm | Usable height mm | Part. No. |
|-------------|-------------|--------------|------------------------|-----------------|
| 564 | 572 | 283 | 200 | 11-20280 |
| 564 | 572 | 383 | 300 | 11-20380 |
| 564 | 572 | 533 | 450 | 11-20530 |
| 564 | 572 | 650 | 550 | 11-20650 |
| 564 | 572 | 700 | 600 | 11-20700 |
| 564 | 572 | 800 | 700 | 11-20800 |
| 564 | 572 | 850 | 750 | 11-20850 |
| 564 | 572 | 1000 | 900 | 11-21000 |

Colours: see colour chart at the bottom of the page



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

| Front height mm | Usable height mm | Lateral height mm | Load capacity kg * | Part. No. |
|-----------------------|------------------------|-------------------------|--------------------------|-----------------|
| 50 S | 36 | 33 | 50 | 11-23050 |
| 75 S | 61 | 52 | 50 | 11-23075 |
| 75 T | 54 | 52 | 70 | 11-23076 |
| 100 S | 86 | 77 | 50 | 11-23100 |
| 100 T | 79 | 77 | 70 | 11-23101 |
| 125 S | 111 | 77 | 50 | 11-23125 |
| 125 T | 104 | 77 | 70 | 11-23126 |
| 150 S | 136 | 127 | 70 | 11-23150 |
| 150 T | 129 | 127 | 70 | 11-23151 |
| 200 S | 186 | 177 | 70 | 11-23200 |
| 200 T | 179 | 177 | 70 | 11-23201 |
| 250 S | 236 | 177 | 70 | 11-23250 |
| 250 T | 229 | 177 | 70 | 11-23251 |
| 300 S | 286 | 277 | 70 | 11-23300 |
| 300 T | 279 | 277 | 70 | 11-23301 |


S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Upstand raised edges on 3 sides

Made of high-quality steel

| Width mm | Depth mm | Height mm | Upstand with mat Part. No. | Smooth rubber mat Part. No. |
|-------------|-------------|--------------|----------------------------------|-----------------------------------|
| 564 | 572 | 20 | 11-20025 | - |
| 559 | 567 | 2 | - | 11-20022 |

Colour: Black



Card insert and cellophane (spare part)

For drawers: 27 Eh

Part. No. **06-00275**

Kit: 30 pieces



Cabinet bases

Made of high-quality steel

| | Width mm | Depth mm | Height mm | Part. No. |
|----------------------|-------------|-------------|--------------|-----------------|
| 1 Base plinth | 564 | 540 | 50 | 05-42605 |
| 1 Base plinth | 564 | 540 | 100 | 05-42610 |
| 1 Base plinth | 564 | 540 | 130 | 05-42613 |

Colour: Black




Partitioning material
see page 90



Load capacity is intended
for evenly distributed loads

Standard colours:





Series 11

27x27 Eh

1




Cabinet housings

Made of high-quality sheet steel. Housing sides and bases are welded with high resistance products, environmentally friendly. Available in 2 different heights with uprights slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Equipped with locking bar.

| Width mm | Depth mm | Height mm | Usable height mm | Part. No. |
|----------|----------|-----------|------------------|-----------|
| 564 | 572 | 850 | 750 | 11-20860 |
| 564 | 572 | 1000 | 900 | 11-21010 |

Colours: see colour chart at the bottom of the page



Perforated back panel


Made of high-quality steel

| Width mm | Height mm | Usable height mm | Part. No. |
|----------|-----------|------------------|-----------|
| 564 | 1104 | 608 | 10-20100 |

Colour: Light grey RAL 7035




Hooks see page 249



Work surfaces for cabinets

| Width mm | Depth mm | Thickness mm | Plastic laminated Part. No. | Linoplex Part. No. |
|----------|----------|--------------|-----------------------------|--------------------|
| 564 | 600 | 30 | 11-20014 | 11-20016 |

Colour: Plastic laminated/Linoplex Light grey



Adjustable shelf

Made of high-quality steel. Lateral supports included

| Usable width mm | Usable depth mm | Height mm | Load capacity kg | Part. No. |
|-----------------|-----------------|-----------|------------------|-----------|
| 505 | 467 | 35 | 70 | 11-20028 |

Colour: Light grey RAL 7035



Retractable shelf

Made of high-quality steel

| Usable width mm | Usable depth mm | Height mm | Extension % | Load capacity kg | Part. No. |
|-----------------|-----------------|-----------|-------------|------------------|-----------|
| 434 | 459 | 100 | 85 | 70 | 11-23980 |

Colour: Light grey RAL 7035



Lower shelf

Made of high-quality steel

| Usable width mm | Usable depth mm | Height mm | Load capacity kg | Part. No. |
|-----------------|-----------------|-----------|------------------|-----------|
| 546 | 462 | 55 | 50 | 11-20034 |

Colour: Light grey RAL 7035



Doors for cabinets

Made of high-quality steel

To be fitted to the cabinet, with safety cylinder lock and 2 keys (same number as in the cabinet).

| Front height mm | Width mm | Right hand opening Part. No. | Left hand opening Part. No. |
|-----------------|----------|------------------------------|-----------------------------|
| 450 | 508 | 10-22451 | 10-22455 |
| 600 | 508 | 10-22601 | 10-22605 |

Colours: see colour chart at the bottom of the page

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 283 mm



01 11
50 S 50 S
150 S 150 T

| Height: | Part. No. |
|-----------|-------------|
| 283 mm | 11-20280-01 |
| | 11-20280-11 |
| 2 Drawers | |



02 12
100 S 100 T
100 S 100 T

| Height: | Part. No. |
|-----------|-------------|
| 283 mm | 11-20280-02 |
| | 11-20280-12 |
| 2 Drawers | |



03 13
50 S 50 S
50 S 50 S
100 S 100 T

| Height: | Part. No. |
|-----------|-------------|
| 283 mm | 11-20280-03 |
| | 11-20280-13 |
| 3 Drawers | |

Height: 383 mm



01 11
100 S 100 T
200 S 200 T

| Height: | Part. No. |
|-----------|-------------|
| 383 mm | 11-20380-01 |
| | 11-20380-11 |
| 2 Drawers | |



02 12
150 S 150 T
150 S 150 T

| Height: | Part. No. |
|-----------|-------------|
| 383 mm | 11-20380-02 |
| | 11-20380-12 |
| 2 Drawers | |



03 13
50 S 50 S
100 S 100 T
150 S 150 T

| Height: | Part. No. |
|-----------|-------------|
| 383 mm | 11-20380-03 |
| | 11-20380-13 |
| 3 Drawers | |



04 14
75 S 75 T
75 S 75 T
150 S 150 T

| Height: | Part. No. |
|-----------|-------------|
| 383 mm | 11-20380-04 |
| | 11-20380-14 |
| 3 Drawers | |



08 18
100 S 100 T
100 S 100 T
100 S 100 T

| Height: | Part. No. |
|-----------|-------------|
| 383 mm | 11-20380-08 |
| | 11-20380-18 |
| 3 Drawers | |



05 15
50 S 50 S
50 S 50 S
50 S 50 S
150 S 150 T

| Height: | Part. No. |
|-----------|-------------|
| 383 mm | 11-20380-05 |
| | 11-20380-15 |
| 4 Drawers | |



06 16
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T

| Height: | Part. No. |
|-----------|-------------|
| 383 mm | 11-20380-06 |
| | 11-20380-16 |
| 4 Drawers | |







Drawers:

S = load capacity: 50/70 kg - extension 85-90%
T = load capacity: 70 kg - extension 100%



Partitioning material
see page 90

Standard colours:

RAL 5012  RAL 6011  RAL 7035  RAL 9010 



Series 11

27x27 Eh

Height: 533 mm



01 11
 50 S 50 S
 75 S 75 T
 125 S 125 T
 200 S 200 T

| Height: | Part. No. |
|-----------|-------------|
| 533 mm | 11-20530-01 |
| | 11-20530-11 |
| 4 Drawers | |



02 12
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T

| Height: | Part. No. |
|-----------|-------------|
| 533 mm | 11-20530-02 |
| | 11-20530-12 |
| 5 Drawers | |



03 13
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T

| Height: | Part. No. |
|-----------|-------------|
| 533 mm | 11-20530-03 |
| | 11-20530-13 |
| 6 Drawers | |

Height: 650 mm



01 11
 100 S 100 T
 150 S 150 T
 300 S 300 T

| Height: | Part. No. |
|-----------|-------------|
| 650 mm | 11-20650-01 |
| | 11-20650-11 |
| 3 Drawers | |




07 17
 100 S 100 T

RS S RS S

| Height: | Part. No. |
|----------------------------------|-------------|
| 650 mm | 11-20650-07 |
| | 11-20650-17 |
| 1 Drawer | |
| 1 Retractable shelf | |
| 1 Door 450mmh right hand opening | |

Standard colours:



Drawers:

S = load capacity:50/70 kg - extension 85-90%
T = load capacity:70 kg - extension 100%

Standard examples:

Height: 700 mm



01 11
75 S 75 T
100 S 100 T
125 S 125 T
300 S 300 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 700 mm | 11-20700-01 |
| | 11-20700-11 |
| 4 Drawers | |



08 18
100 S 100 T
150 S 150 T
150 S 150 T
200 S 200 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 700 mm | 11-20700-08 |
| | 11-20700-18 |
| 4 Drawers | |



02 12
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T
200 S 200 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 700 mm | 11-20700-02 |
| | 11-20700-12 |
| 5 Drawers | |



03 13
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
200 S 200 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 700 mm | 11-20700-03 |
| | 11-20700-13 |
| 6 Drawers | |



04 14
50 S 50 S
50 S 50 S
75 S 75 T
75 S 75 T
75 S 75 T
75 S 75 T
75 S 75 T
200 S 200 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 700 mm | 11-20700-04 |
| | 11-20700-14 |
| 7 Drawers | |



05 15
75 S 75 T
75 S 75 T

RS S RS S

| | |
|----------------------------------|------------------|
| Height: | Part. No. |
| 700 mm | 11-20700-05 |
| | 11-20700-15 |
| 2 Drawers | |
| 1 Retractable shelf | |
| 1 Door 450mmh right hand opening | |



06





AS

RS S

| | |
|----------------------------------|------------------|
| Height: | Part. No. |
| 700 mm | 11-20700-06 |
| 1 Adjustable shelf | |
| 1 Retractable shelf | |
| 1 Door 600mmh right hand opening | |



Partitioning material
see page 90

Standard colours:
RAL 5012  RAL 6011  RAL 7035  RAL 9010 



Series 11

27x27 Eh

Height: 800 mm



10 21
 100 S 100 T
 100 S 100 T
 200 S 200 T
 300 S 300 T

| Height: | Part. No. |
|-----------|-------------|
| 800 mm | 11-20800-10 |
| | 11-20800-21 |
| 4 Drawers | |



01 11
 50 S 50 S
 100 S 100 T
 100 S 100 T
 150 S 150 T
 300 S 300 T

| Height: | Part. No. |
|-----------|-------------|
| 800 mm | 11-20800-01 |
| | 11-20800-11 |
| 5 Drawers | |



02 12
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 200 S 200 T

| Height: | Part. No. |
|-----------|-------------|
| 800 mm | 11-20800-02 |
| | 11-20800-12 |
| 6 Drawers | |



03 13
 50 S 50 S
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 200 S 200 T

| Height: | Part. No. |
|-----------|-------------|
| 800 mm | 11-20800-03 |
| | 11-20800-13 |
| 6 Drawers | |



04 14
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T

| Height: | Part. No. |
|-----------|-------------|
| 800 mm | 11-20800-04 |
| | 11-20800-14 |
| 7 Drawers | |



07 17
 100 S 100 T

 AS AS

 RS S RS S

| Height: | Part. No. |
|---|-------------|
| 800 mm | 11-20800-07 |
| | 11-20800-17 |
| 1 Drawer 1 Adjustable shelf 1 Retractable shelf 1 Door 600mmh right hand opening | |




06 16
 100 S 100 T
 150 S 150 T

RS RS

| Height: | Part. No. |
|--|-------------|
| 800 mm | 11-20800-06 |
| | 11-20800-16 |
| 2 Drawers 1 Retractable shelf 1 Door 450mmh right hand opening | |

Standard colours:



Drawers:

S = load capacity:50/70 kg - extension 85-90%
 T = load capacity:70 kg - extension 100%

Standard examples:

Height: 850 mm



08 18
100 S 100 T
150 S 150 T
200 S 200 T
300 S 300 T

| Height: | Part. No. |
|-----------|-------------|
| 850 mm | 11-20850-08 |
| | 11-20850-18 |
| 4 Drawers | |



01 11
50 S 50 S
100 S 100 T
100 S 100 T
200 S 200 T
300 S 300 T

| Height: | Part. No. |
|-----------|-------------|
| 850 mm | 11-20850-01 |
| | 11-20850-11 |
| 5 Drawers | |



02 12
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
125 S 125 T
250 S 250 T

| Height: | Part. No. |
|-----------|-------------|
| 850 mm | 11-20850-02 |
| | 11-20850-12 |
| 6 Drawers | |



03 13
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
150 S 150 T

| Height: | Part. No. |
|-----------|-------------|
| 850 mm | 11-20850-03 |
| | 11-20850-13 |
| 7 Drawers | |



04 14
50 S 50 S
75 S 75 T
75 S 75 T
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
200 S 200 T

| Height: | Part. No. |
|-----------|-------------|
| 850 mm | 11-20850-04 |
| | 11-20850-14 |
| 8 Drawers | |



06 16
150 S 150 T

AS AS

RS S RS S

| Height: | Part. No. |
|---|-------------|
| 850 mm | 11-20850-06 |
| | 11-20850-16 |
| 1 Drawer 1 Adjustable shelf 1 Retractable shelf 1 Door 600mmh right hand opening | |



07 17
100 S 100 T
200 S 200 T

RS S RS S

| Height: | Part. No. |
|--|-------------|
| 850 mm | 11-20850-07 |
| | 11-20850-17 |
| 2 Drawers 1 Retractable shelf 1 Door 450mmh right hand opening | |







05 15
50 S 50 S
100 S 100 T
150 S 150 T

RS S RS S

| Height: | Part. No. |
|--|-------------|
| 850 mm | 11-20850-05 |
| | 11-20850-15 |
| 3 Drawers 1 Retractable shelf 1 Door 450mmh right hand opening | |



Partitioning material
see page 90

Standard colours:
RAL 5012  RAL 6011  RAL 7035  RAL 9010 



Series 11

27x27 Eh

Standard examples:

Height: 1000 mm



01 11
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T
200 S 200 T
300 S 300 T

| Height: | Part. No. |
|-----------|-------------|
| 1000 mm | 11-21000-01 |
| | 11-21000-11 |
| 6 Drawers | |



02 12
100 S 100 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|-----------|-------------|
| 1000 mm | 11-21000-02 |
| | 11-21000-12 |
| 7 Drawers | |



03 13
50 S 50 S
75 S 75 T
75 S 75 T
75 S 75 T
125 S 125 T
150 S 150 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|-----------|-------------|
| 1000 mm | 11-21000-03 |
| | 11-21000-13 |
| 8 Drawers | |



04 14
50 S 50 S
75 S 75 T
50 S 50 S
75 S 75 T
75 S 75 T
75 S 75 T
125 S 125 T
150 S 150 T
300 S 300 T

| Height: | Part. No. |
|-----------|-------------|
| 1000 mm | 11-21000-04 |
| | 11-21000-14 |
| 8 Drawers | |



05 15
50 S 50 S
100 S 100 T
150 S 150 T

AS AS

RS S RS S

| Height: | Part. No. |
|--|-------------|
| 1000 mm | 11-21000-05 |
| | 11-21000-15 |
| 3 Drawers 1 Adjustable shelf 1 Retractable shelf 1 Door 600mmh right hand opening | |




06 16
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T

RS S RS S

| Height: | Part. No. |
|--|-------------|
| 1000 mm | 11-21000-06 |
| | 11-21000-16 |
| 5 Drawers 1 Retractable shelf 1 Door 450mmh right hand opening | |

Standard colours:



Partitioning material
see page 90



Drawers:

S = load capacity:50/70 kg - extension 85-90%
T = load capacity:70 kg - extension 100%



Mobile cabinets

Made of high-quality sheet steel.
Housing sides and bases are welded and painted with high resistance products, environmentally friendly.
Available in different heights with uprights slotted in increments of 25 mm to allow

drawers to be adjusted accordingly. Complete with safety upstand raised edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or polyurethane.
Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 572 mm, Depth 627 mm.

| with nylon castors Ø 100 mm Part. No. | with polyurethane castors Ø 100 mm Part. No. | Total height mm | with polyurethane castors Ø 150 mm Part. No. | Total height mm | Usable height for drawers mm |
|---|--|--------------------|--|--------------------|---------------------------------|
| 11-29530 | 11-29540 | 705 | 11-29550 | 762 | 450 |
| 11-29650 | 11-29660 | 822 | 11-29670 | 879 | 550 |
| 11-29700 | 11-29710 | 872 | 11-29720 | 929 | 600 |
| 11-29800 | 11-29810 | 972 | 11-29820 | 1029 | 700 |
| 11-29850 | 11-29860 | 1022 | 11-29870 | 1079 | 750 |
| 11-29900 | 11-29910 | 1172 | 11-29920 | 1229 | 900 |

Max load capacity: 400 kg with load evenly distributed

Colours: see colour chart at the bottom of the page



nylon castors
(2 fixed and
2 swivel braked)



polyurethane castors
(2 fixed and
2 swivel braked)



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

| Front height mm | Usable height mm | Lateral height mm | Load capacity kg * | Single locking system on right Part. No. |
|--------------------|---------------------|----------------------|-----------------------|---|
| 50 S | 36 | 33 | 50 | 11-23052 |
| 75 S | 61 | 52 | 50 | 11-23077 |
| 75 T | 54 | 52 | 50 | 11-23078 |
| 100 S | 86 | 77 | 50 | 11-23102 |
| 100 T | 79 | 77 | 50 | 11-23103 |
| 125 S | 111 | 77 | 50 | 11-23127 |
| 125 T | 104 | 77 | 50 | 11-23128 |
| 150 S | 136 | 127 | 50 | 11-23152 |
| 150 T | 129 | 127 | 50 | 11-23153 |
| 200 S | 186 | 177 | 50 | 11-23202 |
| 200 T | 179 | 177 | 50 | 11-23203 |
| 250 S | 236 | 177 | 50 | 11-23252 |
| 250 T | 229 | 177 | 50 | 11-23253 |
| 300 S | 286 | 277 | 50 | 11-23302 |
| 300 T | 279 | 277 | 50 | 11-23303 |

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 27 Eh

Part. No. 06-00275

Kit: 30 pieces



All drawers with single locking system on right



Load capacity is intended for evenly distributed loads

Standard colours:

| | | | |
|----------|----------|----------|----------|
| RAL 5012 | RAL 6011 | RAL 7035 | RAL 9010 |
| | | | |



Series 11

27x27 Eh

Height: 705 mm



01 11
50 S 50 S
75 S 75 T
125 S 125 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 705 mm | 11-29530-01 |
| | 11-29530-11 |

4 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 705 mm | 11-29530-02 |
| | 11-29530-12 |

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T

| Height: | Part. No. |
|---------|-------------|
| 705 mm | 11-29530-03 |
| | 11-29530-13 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 822 mm



01 11
100 S 100 T
150 S 150 T
300 S 300 T

| Height: | Part. No. |
|---------|-------------|
| 822 mm | 11-29650-01 |
| | 11-29650-11 |

3 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
50 S 50 S
50 S 50 S
75 S 75 T
75 S 75 T
150 S 150 T
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 822 mm | 11-29650-02 |
| | 11-29650-12 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 872 mm



01 11
75 S 75 T
100 S 100 T
125 S 125 T
300 S 300 T

| Height: | Part. No. |
|---------|-------------|
| 872 mm | 11-29700-01 |
| | 11-29700-11 |

4 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 872 mm | 11-29700-02 |
| | 11-29700-12 |

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 872 mm | 11-29700-03 |
| | 11-29700-13 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



Partitioning material
see page 90



Drawers:

S = load capacity: 50 kg - extension 85-90%
T = load capacity: 50 kg - extension 100%

Standard examples:

Height: 972 mm



01 11
50 S 50 S
100 S 100 T
100 S 100 T
150 S 150 T
300 S 300 T

| Height: | Part. No. |
|---------|-------------|
| 972 mm | 11-29800-01 |
| | 11-29800-11 |

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 972 mm | 11-29800-02 |
| | 11-29800-12 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 972 mm | 11-29800-03 |
| | 11-29800-13 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1022 mm



01 11
50 S 50 S
100 S 100 T
100 S 100 T
200 S 200 T
300 S 300 T

| Height: | Part. No. |
|---------|-------------|
| 1022 mm | 11-29850-01 |
| | 11-29850-11 |

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
125 S 125 T
250 S 250 T

| Height: | Part. No. |
|---------|-------------|
| 1022 mm | 11-29850-02 |
| | 11-29850-12 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 1022 mm | 11-29850-03 |
| | 11-29850-13 |

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1172 mm



01 11
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T
200 S 200 T
300 S 300 T

| Height: | Part. No. |
|---------|-------------|
| 1172 mm | 11-29900-01 |
| | 11-29900-11 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat



02 12
100 S 100 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 1172 mm | 11-29900-02 |
| | 11-29900-12 |

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat



03 13
50 S 50 S
75 S 75 T
75 S 75 T
75 S 75 T
125 S 125 T
150 S 150 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 1172 mm | 11-29900-03 |
| | 11-29900-13 |

8 Drawers with single locking system on right
4-sided safety upstand with rubber mat




All drawers with single locking system on right



Standard examples are equipped with 2 fixed and 2 swivel braked nylon castors, Ø 100 mm

Standard colours:







Series 11

27x27 Eh


Partitioning material




| For front height: | Part. No. |
|--------------------|-----------|
| 50 mm and higher | 08-20002 |
| 9 Troughs | 2-Trough |
| 20 Trough dividers | |




| For front height: | Part. No. |
|--------------------|-----------|
| 50 mm and higher | 08-20003 |
| 9 Troughs | 3-Trough |
| 30 Trough dividers | |




| For front height: | Part. No. |
|--------------------|-----------|
| 50 mm and higher | 08-20004 |
| 9 Troughs | 4-Trough |
| 40 Trough dividers | |




| For front height: | Part. No. |
|-------------------|-----------|
| 50 mm | 08-21105 |
| 75 mm | 08-21107 |
| 100 mm | 08-21110 |
| 18 Plastic boxes | 150x75 mm |




| For front height: | Part. No. |
|-------------------|------------|
| 50 mm | 08-21205 |
| 75 mm | 08-21207 |
| 100 mm | 08-21210 |
| 9 Plastic boxes | 150x150 mm |




| For front height: | Part. No. |
|-------------------|-----------|
| 50 mm | 08-21305 |
| 75 mm | 08-21307 |
| 24 Plastic boxes | 75x75 mm |
| 6 Plastic boxes | 150x75 mm |




Standard examples:




| For front height: | Part. No. |
|----------------------|-----------|
| 50 mm | 08-23205 |
| 75 mm | 08-23207 |
| 100-125 mm | 08-23210 |
| 150 mm | 08-23215 |
| 200-250 mm | 08-23220 |
| 300 mm | 08-23230 |
| 2 Slotted partitions | 27 Eh |
| 6 Aluminium dividers | 9 Eh |



| For front height: | Part. No. |
|----------------------|-----------|
| 50 mm | 08-23305 |
| 75 mm | 08-23307 |
| 100-125 mm | 08-23310 |
| 150 mm | 08-23315 |
| 3 Slotted partitions | 27 Eh |
| 9 Aluminium dividers | 6 Eh |
| 2 Aluminium dividers | 9 Eh |



| For front height: | Part. No. |
|--------------------|-----------|
| 50 mm | 08-38205 |
| 75 mm | 08-38207 |
| 100-125 mm | 08-38210 |
| 150 mm | 08-38215 |
| 200-250 mm | 08-38220 |
| 2 Plain partitions | 27 Eh |



Standard examples with slotted partitions are supplied with fixings



Series 11

36x27 Eh

Drawer cabinets

Width: 717 mm - Depth: 572 mm



Drawer cabinets
see page 93



Mobile drawer cabinets
see page 98



Partitioning material
see page 101



Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010





5-year Guarantee



For your safety all cabinets
must be anchored using
floor bolts



Fixing material
for cabinets
Part. No.
06-00030





Cabinets housings

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly.

Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

| Width mm | Depth mm | Height mm | Usable height mm | Part. No. |
|----------|----------|-----------|------------------|-----------------|
| 717 | 572 | 550 | 450 | 11-30550 |
| 717 | 572 | 700 | 600 | 11-30700 |
| 717 | 572 | 850 | 750 | 11-30850 |
| 717 | 572 | 1000 | 900 | 11-31000 |
| 717 | 572 | 1450 | 1350 | 11-31450 |

Colours: see colour chart at the bottom of the page



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

| Front height mm | Usable height mm | Lateral height mm | Load capacity kg * | Part. No. |
|-----------------|------------------|-------------------|--------------------|-----------------|
| 50 S | 36 | 33 | 60 | 11-33050 |
| 75 S | 61 | 52 | 80 | 11-33075 |
| 75 T | 54 | 52 | 200 | 11-33076 |
| 100 S | 86 | 77 | 100 | 11-33100 |
| 100 T | 79 | 77 | 200 | 11-33101 |
| 125 S | 111 | 77 | 100 | 11-33125 |
| 125 T | 104 | 77 | 200 | 11-33126 |
| 150 S | 136 | 127 | 100 | 11-33150 |
| 150 T | 129 | 127 | 200 | 11-33151 |
| 200 S | 186 | 177 | 100 | 11-33200 |
| 200 T | 179 | 177 | 200 | 11-33201 |
| 250 T | 229 | 177 | 200 | 11-33251 |
| 300 S | 286 | 277 | 100 | 11-33300 |
| 300 T | 279 | 277 | 200 | 11-33301 |


S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Upstand raised edges on 3 sides

Made of high-quality steel

| Width mm | Depth mm | Height mm | Upstand with mat Part. No. | Smooth rubber mat Part. No. |
|----------|----------|-----------|----------------------------|-----------------------------|
| 717 | 572 | 20 | 11-30025 | - |
| 712 | 567 | 2 | - | 11-30022 |

Colour: Black




Card insert and cellophane (spare part)

For drawers: 36 Eh

Part. No. **06-00365**

Kit: 30 pieces



Cabinet bases

Made of high-quality steel

| | Width mm | Depth mm | Height mm | Part. No. |
|----------------------|----------|----------|-----------|-----------------|
| 1 Base plinth | 717 | 540 | 50 | 05-43505 |
| 1 Base plinth | 717 | 540 | 130 | 05-43513 |
| 2 Pallet base | 717 | 506 | 100 | 05-13510 |
| 3 Cover plate | 717 | - | 100 | 05-33610 |

Colour: Black



Partitioning material see page 101



Load capacity is intended for evenly distributed loads

Standard colours:

| RAL 5012 | RAL 6011 | RAL 7035 | RAL 9010 |
|----------|----------|----------|----------|
| | | | |



Series 11

36x27 Eh




Cabinet housings

Made of high-quality sheet steel. Housing sides and bases are welded with high resistance products, environmentally friendly. Available in 2 different heights with uprights slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Equipped with locking bar.

| Width mm | Depth mm | Height mm | Usable height mm | Part. No. |
|----------|----------|-----------|------------------|-----------|
| 717 | 572 | 850 | 750 | 11-30860 |
| 717 | 572 | 1000 | 900 | 11-31010 |

Colours: see colour chart at the bottom of the page



Perforated back panel


Made of high-quality steel

| Width mm | Height mm | Usable height mm | Part. No. |
|----------|-----------|------------------|-----------|
| 717 | 1104 | 608 | 10-30100 |

Colour: Light grey RAL 7035



Hooks see page 249



Work surfaces for cabinets

| Width mm | Depth mm | Thickness mm | Plastic laminated Part. No. | Linoplex Part. No. |
|----------|----------|--------------|-----------------------------|--------------------|
| 717 | 600 | 30 | 11-30014 | 11-30016 |

Colour: Plastic laminated/Linoplex Light grey




Adjustable shelf

Made of steel. Lateral supports included

| Usable height mm | Usable depth mm | Height mm | Load capacity kg | Part. No. |
|------------------|-----------------|-----------|------------------|-----------|
| 658 | 467 | 35 | 70 | 33-52038 |

Colour: Light grey RAL 7035



Retractable shelves

Made of high-quality sheet steel. Available in two versions (simple or total extension) with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

| Usable width mm | Usable depth mm | Height mm | Extension % | Load capacity kg* | Part. No. |
|-----------------|-----------------|-----------|-------------|-------------------|-----------|
| 612 | 459 | 75 | 85 | 100 | 11-33984 |
| 612 | 459 | 75 | 100 | 200 | 11-33985 |

* with load evenly distributed

Colours: see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 36 Eh Part. No. 06-00365
Kit: 30 pieces



Lower shelf

Made of high-quality steel

| Usable width mm | Usable depth mm | Height mm | Load capacity kg | Part. No. |
|-----------------|-----------------|-----------|------------------|-----------|
| 651 | 465 | 55 | 50 | 11-30034 |

Colour: Light grey RAL 7035

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 550 mm



09 02
50 S 50 S
75 S 75 T
125 S 125 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 550 mm | 11-30550-09 |
| | 11-30550-02 |

4 Drawers



07 04
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 550 mm | 11-30550-07 |
| | 11-30550-04 |

5 Drawers



05 06
50 S 50 S
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T

| Height: | Part. No. |
|---------|-------------|
| 550 mm | 11-30550-05 |
| | 11-30550-06 |

6 Drawers

Height: 700 mm



07 02
50 S 50 S
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 700 mm | 11-30700-07 |
| | 11-30700-02 |

5 Drawers



03 04
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
250 T 250 T

| Height: | Part. No. |
|---------|-------------|
| 700 mm | 11-30700-03 |
| | 11-30700-04 |

5 Drawers



08 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 700 mm | 11-30700-08 |
| | 11-30700-06 |

6 Drawers

Height: 850 mm



07 02
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 850 mm | 11-30850-07 |
| | 11-30850-02 |

7 Drawers



09 04
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
125 S 125 T
125 S 125 T
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 850 mm | 11-30850-09 |
| | 11-30850-04 |

7 Drawers



11 06
75 S 75 T
75 S 75 T
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 850 mm | 11-30850-11 |
| | 11-30850-06 |

8 Drawers







Partitioning material
see page 101



Drawers:

S = load capacity: 100 kg - extension 85-90%
T = load capacity: 200 kg - extension 100%

Standard colours:

RAL 5012  RAL 6011  RAL 7035  RAL 9010 



Series 11

36x27 Eh

Height: 1000 mm



33 02
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 300 S 300 T

| | |
|---------------------------|--|
| Height: 1000 mm | Part. No. 11-31000-33 11-31000-02 |
| 6 Drawers | |



35 04
 75 S 75 T
 75 S 75 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

| | |
|---------------------------|--|
| Height: 1000 mm | Part. No. 11-31000-35 11-31000-04 |
| 7 Drawers | |



39 06
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 200 S 200 T
 300 S 300 T

| | |
|---------------------------|--|
| Height: 1000 mm | Part. No. 11-31000-39 11-31000-06 |
| 7 Drawers | |



37 08
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T

| | |
|---------------------------|--|
| Height: 1000 mm | Part. No. 11-31000-37 11-31000-08 |
| 8 Drawers | |



11 12
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T

| | |
|---------------------------|--|
| Height: 1000 mm | Part. No. 11-31000-11 11-31000-12 |
| 9 Drawers | |



41 20
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 200 S 200 T

| | |
|---------------------------|--|
| Height: 1000 mm | Part. No. 11-31000-41 11-31000-20 |
| 9 Drawers | |



43 22
 50 S 50 S
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 250 T 250 T

| | |
|---------------------------|--|
| Height: 1000 mm | Part. No. 11-31000-43 11-31000-22 |
| 9 Drawers | |



45 24
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T

| | |
|---------------------------|--|
| Height: 1000 mm | Part. No. 11-31000-45 11-31000-24 |
| 9 Drawers | |



47 26
 50 S 50 S
 50 S 50 S
 75 S 75 T
 75 S 75 T
 75 S 75 T
 50 S 50 S
 75 S 75 T
 125 S 125 T
 100 S 100 T
 150 S 150 T
 150 S 150 T

| | |
|---------------------------|--|
| Height: 1000 mm | Part. No. 11-31000-47 11-31000-26 |
| 10 Drawers | |

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



Drawers:

S = load capacity:100 kg - extension 85-90%
 T = load capacity:200 kg - extension 100%


Standard examples:

Height: 1450 mm



15 02
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 300 S 300 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1450 mm | 11-31450-15 |
| | 11-31450-02 |
| 9 Drawers | |




03 04
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1450 mm | 11-31450-03 |
| | 11-31450-04 |
| 9 Drawers | |



17 06
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 200 S 200 T
 200 S 200 T
 200 S 200 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1450 mm | 11-31450-17 |
| | 11-31450-06 |
| 10 Drawers | |



19 08
 75 S 75 T
 75 S 75 T
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1450 mm | 11-31450-19 |
| | 11-31450-08 |
| 13 Drawers | |



Partitioning material
 see page 101

Standard colours:
 RAL 5012 RAL 6011 RAL 7035 RAL 9010





Series 11

36x27 Eh

1



Mobile cabinets

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted

accordingly. Complete with safety upstand raised edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or polyurethane. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 802 mm, Depth 580 mm.

| with nylon castors Ø 100 mm Part. No. | with polyurethane castors Ø 100 mm Part. No. | Total height mm | with polyurethane castors Ø 150 mm Part. No. | Total height mm | Usable height for drawers mm |
|---|--|--------------------|--|--------------------|---------------------------------|
| 11-39700 | 11-39710 | 857 | 11-39720 | 914 | 600 |
| 11-39850 | 11-39860 | 1007 | 11-39870 | 1064 | 750 |
| 11-39900 | 11-39910 | 1157 | 11-39920 | 1214 | 900 |

Max load capacity: 400 kg with load evenly distributed

Colours: see colour chart at the bottom of the page



nylon castors
(2 fixed and
2 swivel braked)



polyurethane castors
(2 fixed and
2 swivel braked)



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

| Front height mm | Usable height mm | Lateral height mm | Load capacity kg | Single locking system on right Part. No. |
|--------------------|---------------------|----------------------|---------------------|---|
| 50 S | 36 | 33 | 60 | 11-33052 |
| 75 S | 61 | 52 | 70 | 11-33077 |
| 75 T | 54 | 52 | 70 | 11-33078 |
| 100 S | 86 | 77 | 70 | 11-33102 |
| 100 T | 79 | 77 | 70 | 11-33103 |
| 125 S | 111 | 77 | 70 | 11-33127 |
| 125 T | 104 | 77 | 70 | 11-33128 |
| 150 S | 136 | 127 | 70 | 11-33152 |
| 150 T | 129 | 127 | 70 | 11-33153 |
| 200 S | 186 | 177 | 70 | 11-33202 |
| 200 T | 179 | 177 | 70 | 11-33203 |
| 250 T | 229 | 177 | 70 | 11-33253 |
| 300 S | 286 | 277 | 70 | 11-33302 |
| 300 T | 279 | 277 | 70 | 11-33303 |


S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 36 Eh

Part. No. 06-00365

Kit: 30 pieces

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



All drawers with single locking system on right



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 914 mm



07 02
50 S 50 S
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T



03 04
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
250 T 250 T



09 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 914 mm | 11-39720-07 |
| | 11-39720-02 |

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat

| Height: | Part. No. |
|---------|-------------|
| 914 mm | 11-39720-03 |
| | 11-39720-04 |

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat

| Height: | Part. No. |
|---------|-------------|
| 914 mm | 11-39720-09 |
| | 11-39720-06 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1064 mm



07 02
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T



09 04
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
125 S 125 T
125 S 125 T
150 S 150 T



11 06
75 S 75 T
75 S 75 T
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 1064 mm | 11-39870-07 |
| | 11-39870-02 |

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

| Height: | Part. No. |
|---------|-------------|
| 1064 mm | 11-39870-09 |
| | 11-39870-04 |

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

| Height: | Part. No. |
|---------|-------------|
| 1064 mm | 11-39870-11 |
| | 11-39870-06 |

8 Drawers with single locking system on right
4-sided safety upstand with rubber mat



Partitioning material
see page 101



Drawers:
S = load capacity:70 kg - extension 85-90%
T = load capacity:70 kg - extension 100%



Standard examples are equipped
with 2 fixed and 2 swivel braked
polyurethane castors, Ø 150 mm



Series 11

36x27 Eh

Standard examples:

Height: 1214 mm



| | |
|-----------|-----------|
| 09 | 02 |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 300 S | 300 T |



| | |
|-----------|-----------|
| 11 | 04 |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 200 S | 200 T |



| | |
|-----------|-----------|
| 13 | 08 |
| 50 S | 50 S |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 200 S | 200 T |

| Height: | Part. No. |
|---------|-------------|
| 1214 mm | 11-39920-09 |
| | 11-39920-02 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat


| Height: | Part. No. |
|---------|-------------|
| 1214 mm | 11-39920-11 |
| | 11-39920-04 |

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

| Height: | Part. No. |
|---------|-------------|
| 1214 mm | 11-39920-13 |
| | 11-39920-08 |

8 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Standard colours:



100



Drawers:

S = load capacity:70 kg - extension 85-90%
T = load capacity:70 kg - extension 100%




Standard examples are equipped with 2 fixed and 2 swivel braked polyurethane castors, Ø 150 mm




Standard examples:


Partitioning material




| For front height: | Part. No. |
|--------------------|-----------|
| 50 mm and higher | 07-20004 |
| 12 Troughs | 4-Trough |
| 50 Trough dividers | |




| For front height: | Part. No. |
|--------------------|-----------|
| 50 mm and higher | 08-30023 |
| 6 Troughs | 2-Trough |
| 10 Trough dividers | |
| 6 Troughs | 3-Trough |
| 20 Trough dividers | |




| For front height: | Part. No. |
|--------------------|-----------|
| 50 mm and higher | 08-30034 |
| 3 Troughs | 3-Trough |
| 12 Trough dividers | |
| 9 Troughs | 4-Trough |
| 36 Trough dividers | |




| For front height: | Part. No. |
|-------------------|------------|
| 50 mm | 07-21405 |
| 75 mm | 07-21407 |
| 100-125 mm | 07-21410 |
| 12 Plastic boxes | 150x75 mm |
| 6 Plastic boxes | 150x150 mm |




| For front height: | Part. No. |
|-------------------|------------|
| 50 mm | 07-21505 |
| 75 mm | 07-21507 |
| 16 Plastic boxes | 75x75 mm |
| 8 Plastic boxes | 150x75 mm |
| 4 Plastic boxes | 150x150 mm |



| For front height: | Part. No. |
|----------------------|-----------|
| 50 mm | 08-33305 |
| 75 mm | 08-33307 |
| 100-125 mm | 08-33310 |
| 150 mm | 08-33315 |
| 3 Slotted partitions | 27 Eh |
| 8 Aluminium dividers | 9 Eh |



| For front height: | Part. No. |
|-----------------------|-----------|
| 50 mm | 08-33505 |
| 75 mm | 08-33507 |
| 100-125 mm | 08-33510 |
| 150 mm | 08-33515 |
| 5 Slotted partitions | 27 Eh |
| 18 Aluminium dividers | 6 Eh |



| For front height: | Part. No. |
|--------------------|-----------|
| 50 mm | 08-38205 |
| 75 mm | 08-38207 |
| 100-125 mm | 08-38210 |
| 150 mm | 08-38215 |
| 200-250 mm | 08-38220 |
| 2 Plain partitions | 27 Eh |



Details of partitioning material on page 112



Label holders not included



Standard examples with slotted partitions are supplied with fixings



Series 11

54x27 Eh

Drawer cabinets

Width: 1023 mm - Depth: 572 mm


Drawer cabinets
see page 103



Mobile drawer cabinets
see page 108



Partitioning material
see page 111



Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010





5-year Guarantee




For your safety all cabinets
must be anchored using
floor bolts



Fixing material
for cabinets
Part. No.
06-00030





Cabinets housings

Made of high-quality sheet steel.
Housing sides and bases are welded and painted with high resistance products, environmentally friendly.
Available in different heights with uprights slotted in increments of 25 mm to allow drawers to be adjusted accordingly.

Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

| Width mm | Depth mm | Height mm | Usable height mm | Part. No. |
|-------------|-------------|--------------|------------------------|-----------------|
| 1023 | 572 | 550 | 450 | 11-50550 |
| 1023 | 572 | 700 | 600 | 11-50700 |
| 1023 | 572 | 850 | 750 | 11-50850 |
| 1023 | 572 | 1000 | 900 | 11-51000 |
| 1023 | 572 | 1450 | 1350 | 11-51450 |

Colours: see colour chart at the bottom of the page



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

| Front height mm | Usable height mm | Lateral height mm | Load capacity kg * | Part. No. |
|-----------------------|------------------------|-------------------------|--------------------------|-----------------|
| 50 S | 36 | 33 | 60 | 11-53050 |
| 75 S | 61 | 52 | 80 | 11-53075 |
| 75 T | 54 | 52 | 200 | 11-53076 |
| 100 S | 86 | 77 | 100 | 11-53100 |
| 100 T | 79 | 77 | 200 | 11-53101 |
| 125 S | 111 | 77 | 100 | 11-53125 |
| 125 T | 104 | 77 | 200 | 11-53126 |
| 150 S | 136 | 127 | 100 | 11-53150 |
| 150 T | 129 | 127 | 200 | 11-53151 |
| 200 S | 186 | 177 | 100 | 11-53200 |
| 200 T | 179 | 177 | 200 | 11-53201 |
| 250 T | 229 | 177 | 200 | 11-53251 |
| 300 S | 286 | 277 | 100 | 11-53300 |
| 300 T | 279 | 277 | 200 | 11-53301 |

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,

for drawer front see colour chart at the bottom of the page



Upstand raised edges on 3 sides

Made of high-quality steel

| Width mm | Depth mm | Height mm | Upstand with mat Part. No. | Smooth rubber mat Part. No. |
|-------------|-------------|--------------|----------------------------------|-----------------------------------|
| 1023 | 572 | 20 | 11-50025 | - |
| 1018 | 567 | 2 | - | 11-50022 |

Colour: Black



Card insert and cellophane (spare part)

For drawers: 54 Eh

Part. No. **06-00545**

Kit: 30 pieces



Cabinet bases

Made of high-quality steel

| | Width mm | Depth mm | Height mm | Part. No. |
|----------------------|-------------|-------------|--------------|-----------------|
| 1 Base plinth | 1023 | 540 | 50 | 05-45305 |
| 2 Pallet base | 1023 | 506 | 100 | 05-23510 |
| 3 Cover plate | 1023 | - | 100 | 05-35410 |

Colour: Black



Partitioning material
see page 111



Load capacity is intended
for evenly distributed loads

Standard colours:

| RAL 5012 | RAL 6011 | RAL 7035 | RAL 9010 |
|----------|----------|----------|----------|
| | | | |



Series 11

54x27 Eh




Cabinet housings

Made of high-quality sheet steel. Housing sides and bases are welded with high resistance products, environmentally friendly. Available in 2 different heights with uprights slotted in increments of 25 mm to allow shelves to be adjusted accordingly. Equipped with locking bar.

| Width mm | Depth mm | Height mm | Usable height mm | Part. No. |
|----------|----------|-----------|------------------|-----------|
| 1023 | 572 | 850 | 750 | 11-50860 |
| 1023 | 572 | 1000 | 900 | 11-51010 |

Colours: see colour chart at the bottom of the page



Perforated back panel


Made of high-quality steel

| Width mm | Height mm | Usable height mm | Part. No. |
|----------|-----------|------------------|-----------|
| 1023 | 1104 | 608 | 10-50100 |

Colour: Light grey RAL 7035



Hooks see page 249



Work surfaces for cabinets

| Width mm | Depth mm | Thickness mm | Plastic laminated Part. No. | Linoplex Part. No. |
|----------|----------|--------------|-----------------------------|--------------------|
| 1023 | 600 | 30 | 11-50014 | 11-50016 |

Colour: Plastic laminated/Linoplex Light grey




Adjustable shelf

Made of steel. Lateral supports included

| Usable width mm | Usable depth mm | Height mm | Load capacity kg | Part. No. |
|-----------------|-----------------|-----------|------------------|-----------|
| 964 | 467 | 35 | 70 | 33-52058 |

Colour: Light grey RAL 7035



Retractable shelves

Made of high-quality sheet steel. Available in two versions (simple or total extension) with steel roller bearings. Fitted with galvanised steel inserts ensuring a level surface. All retractable shelf handles are equipped with aluminium profiles, end caps and labelling strips.

| Usable width mm | Usable depth mm | Height mm | Extension % | Load capacity kg * | Part. No. |
|-----------------|-----------------|-----------|-------------|--------------------|-----------|
| 918 | 459 | 75 | 85 | 100 | 11-53984 |
| 918 | 459 | 75 | 100 | 200 | 11-53985 |

* with load evenly distributed

Colours: see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 54 Eh

Part. No. 06-00545

Kit: 30 pieces



Lower shelf

Made of high-quality steel

| Usable width mm | Usable depth mm | Height mm | Load capacity kg * | Part. No. |
|-----------------|-----------------|-----------|--------------------|-----------|
| 957 | 465 | 55 | 50 | 11-50034 |

Colour: Light grey RAL 7035

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



Standard examples:

Height: 550 mm



01 02
100 S 100 T
100 S 100 T
250 T 250 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 550 mm | 11-50550-01 |
| | 11-50550-02 |
| 3 Drawers | |



07 04
75 S 75 T
75 S 75 T
100 S 100 T
200 S 200 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 550 mm | 11-50550-07 |
| | 11-50550-04 |
| 4 Drawers | |



09 06
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 550 mm | 11-50550-09 |
| | 11-50550-06 |
| 5 Drawers | |

Height: 700 mm



04 02
100 S 100 T
150 S 150 T
150 S 150 T
200 S 200 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 700 mm | 11-50700-04 |
| | 11-50700-02 |
| 4 Drawers | |



08 06
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T
200 S 200 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 700 mm | 11-50700-08 |
| | 11-50700-06 |
| 5 Drawers | |



11 10
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 700 mm | 11-50700-11 |
| | 11-50700-10 |
| 6 Drawers | |

Height: 850 mm



04 02
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
300 S 300 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 850 mm | 11-50850-04 |
| | 11-50850-02 |
| 5 Drawers | |



05 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
250 T 250 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 850 mm | 11-50850-05 |
| | 11-50850-06 |
| 6 Drawers | |



12 10
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T





| | |
|----------------|------------------|
| Height: | Part. No. |
| 850 mm | 11-50850-12 |
| | 11-50850-10 |
| 7 Drawers | |



Partitioning material
see page 111



Drawers:
S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard colours:
RAL 5012  RAL 6011  RAL 7035  RAL 9010 



Series 11

54x27 Eh

Height: 1000 mm



| | |
|-----------|-----------|
| 08 | 02 |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 300 S | 300 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 11-51000-08 |
| | 11-51000-02 |

6 Drawers



| | |
|-----------|-----------|
| 04 | 06 |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 200 S | 200 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 11-51000-04 |
| | 11-51000-06 |

7 Drawers



| | |
|-----------|-----------|
| 12 | 10 |
| 50 S | 50 S |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 200 S | 200 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 11-51000-12 |
| | 11-51000-10 |

8 Drawers



| | |
|-----------|-----------|
| 16 | 14 |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 200 S | 200 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 11-51000-16 |
| | 11-51000-14 |

8 Drawers



| | |
|-----------|-----------|
| 17 | 18 |
| 50 S | 50 S |
| 50 S | 50 S |
| 50 S | 50 S |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 250 T | 250 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 11-51000-17 |
| | 11-51000-18 |

9 Drawers



| | |
|-----------|-----------|
| 29 | 22 |
| 50 S | 50 S |
| 50 S | 50 S |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 200 S | 200 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 11-51000-29 |
| | 11-51000-22 |

9 Drawers



| | |
|-----------|-----------|
| 27 | 28 |
| 50 S | 50 S |
| 50 S | 50 S |
| 75 S | 75 T |
| 75 S | 75 T |
| 75 S | 75 T |
| 75 S | 75 T |
| 75 S | 75 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 200 S | 200 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 11-51000-27 |
| | 11-51000-28 |

9 Drawers



| | |
|-----------|-----------|
| 31 | 32 |
| 75 S | 75 T |
| 75 S | 75 T |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 11-51000-31 |
| | 11-51000-32 |

9 Drawers



| | |
|-----------|-----------|
| 33 | 34 |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1000 mm | 11-51000-33 |
| | 11-51000-34 |

9 Drawers

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010

106



Drawers:

S = load capacity:100 kg - extension 85-90%
T = load capacity:200 kg - extension 100%

Standard examples:

Height: 1450 mm



04 02
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 200 S 200 T
 200 S 200 T
 300 S 300 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1450 mm | 11-51450-04 |
| | 11-51450-02 |
| 9 Drawers | |



05 06
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 200 S 200 T
 200 S 200 T
 250 T 250 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1450 mm | 11-51450-05 |
| | 11-51450-06 |
| 9 Drawers | |



11 10
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 300 S 300 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1450 mm | 11-51450-11 |
| | 11-51450-10 |
| 9 Drawers | |



33 34
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1450 mm | 11-51450-33 |
| | 11-51450-34 |
| 9 Drawers | |



27 28
 75 S 75 T
 75 S 75 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 100 S 100 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 150 S 150 T
 200 S 200 T
 200 S 200 T
 200 S 200 T

| | |
|----------------|------------------|
| Height: | Part. No. |
| 1450 mm | 11-51450-27 |
| | 11-51450-28 |
| 10 Drawers | |



Partitioning material
 see page 111



Series 11

54x27 Eh



Mobile cabinets

Made of high-quality sheet steel. Housing sides and bases are welded and painted with high resistance products, environmentally friendly. Available in different heights with uprights slotted in increments of 25 mm to

allow drawers to be adjusted accordingly. Complete with safety upstand raised edges on 4 sides, rubber mat, handle and pair of castors (2 swivel braked and 2 fixed) in nylon or polyurethane. Equipped with central locking system, safety cylinder lock with 2 keys and single drawer opening system.

Width 1108 mm, Depth 580 mm.

| with nylon castors Ø 100 mm Part. No. | with polyurethane castors Ø 100 mm Part. No. | with polyurethane castors Total height mm Part. No. | with polyurethane castors Ø 150 mm Total height mm Part. No. | Usable height for drawers mm |
|---|--|---|---|------------------------------|
| 11-59700 | 11-59710 | 857 | 11-59720 | 600 |
| 11-59850 | 1159860 | 1007 | 11-59870 | 750 |
| 11-59900 | 11-59910 | 1157 | 11-59920 | 900 |

Max load capacity: 400 kg with load evenly distributed

Colours: see colour chart at the bottom of the page



nylon castors
(2 fixed and
2 swivel braked)



polyurethane castors
(2 fixed and
2 swivel braked)



Drawers

Made of high-quality sheet steel.

Available in two versions (simple or total extension) with steel roller bearings. All 4 drawer walls are slotted, for custom sub-division using partitioning material. All drawer handles are equipped with aluminium profiles, end caps and labelling strips.

| Front height mm | Usable height mm | Lateral height mm | Load capacity kg * | Single locking system on right Part. No. |
|-----------------|------------------|-------------------|--------------------|--|
| 50 S | 36 | 33 | 60 | 11-53052 |
| 75 S | 61 | 52 | 70 | 11-53077 |
| 75 T | 54 | 52 | 70 | 11-53078 |
| 100 S | 86 | 77 | 70 | 11-53102 |
| 100 T | 79 | 77 | 70 | 11-53103 |
| 125 S | 111 | 77 | 70 | 11-53127 |
| 125 T | 104 | 77 | 70 | 11-53128 |
| 150 S | 136 | 127 | 70 | 11-53152 |
| 150 T | 129 | 127 | 70 | 11-53153 |
| 200 S | 186 | 177 | 70 | 11-53202 |
| 200 T | 179 | 177 | 70 | 11-53203 |
| 250 T | 229 | 177 | 70 | 11-53253 |
| 300 S | 286 | 277 | 70 | 11-53302 |
| 300 T | 279 | 277 | 70 | 11-53303 |

S = simple extension: 85 - 90% extension

T = total extension: 100% extension

* with load evenly distributed and at least one slotted divider in the middle

Colour: Light grey RAL 7035 internal,
for drawer front see colour chart at the bottom of the page



Card insert and cellophane (spare part)

For drawers: 54 Eh

Part. No. 06-00545

Kit: 30 pieces

Standard colours:

RAL 5012 RAL 6011 RAL 7035 RAL 9010



All drawers with single locking system on right



Load capacity is intended for evenly distributed loads

Standard examples:

Height: 914 mm



04 02
100 S 100 T
150 S 150 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 914 mm | 11-59720-04 |
| | 11-59720-02 |

4 Drawers with single locking system on right
4-sided safety upstand with rubber mat



08 06
75 S 75 T
75 S 75 T
100 S 100 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 914 mm | 11-59720-08 |
| | 11-59720-06 |

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



14 10
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T

| Height: | Part. No. |
|---------|-------------|
| 914 mm | 11-59720-14 |
| | 11-59720-10 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Height: 1064 mm



03 02
100 S 100 T
100 S 100 T
100 S 100 T
150 S 150 T
300 S 300 T

| Height: | Part. No. |
|---------|-------------|
| 1064 mm | 11-59870-03 |
| | 11-59870-02 |

5 Drawers with single locking system on right
4-sided safety upstand with rubber mat



05 06
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
250 T 250 T

| Height: | Part. No. |
|---------|-------------|
| 1064 mm | 11-59870-05 |
| | 11-59870-06 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat



11 10
50 S 50 S
75 S 75 T
75 S 75 T
100 S 100 T
100 S 100 T
150 S 150 T
200 S 200 T

| Height: | Part. No. |
|---------|-------------|
| 1064 mm | 11-59870-11 |
| | 11-59870-10 |

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat



Partitioning material
see page 111



Drawers:
S = load capacity:70 kg - extension 85-90%
T = load capacity:70 kg - extension 100%



Standard examples are equipped
with 2 fixed and 2 swivel braked
polyurethane castors, Ø 150 mm



Series 11

54x27 Eh

Standard examples:

Height: 1214 mm



| | |
|-----------|-----------|
| 04 | 02 |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 300 S | 300 T |



| | |
|-----------|-----------|
| 13 | 06 |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 200 S | 200 T |



| | |
|-----------|-----------|
| 12 | 10 |
| 50 S | 50 S |
| 75 S | 75 T |
| 75 S | 75 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 100 S | 100 T |
| 150 S | 150 T |
| 150 S | 150 T |
| 200 S | 200 T |

| Height: | Part. No. |
|---------|-------------|
| 1214 mm | 11-59920-04 |
| | 11-59920-02 |

6 Drawers with single locking system on right
4-sided safety upstand with rubber mat

| Height: | Part. No. |
|---------|-------------|
| 1214 mm | 11-59920-13 |
| | 11-59920-06 |

7 Drawers with single locking system on right
4-sided safety upstand with rubber mat

| Height: | Part. No. |
|---------|-------------|
| 1214 mm | 11-59920-12 |
| | 11-59920-10 |

8 Drawers with single locking system on right
4-sided safety upstand with rubber mat

Standard colours:

| | | | |
|----------|----------|----------|----------|
| RAL 5012 | RAL 6011 | RAL 7035 | RAL 9010 |
| | | | |



Drawers:

S = load capacity:70 kg - extension 85-90%
T = load capacity:70 kg - extension 100%




Standard examples are equipped with 2 fixed and 2 swivel braked polyurethane castors, Ø 150 mm




Standard examples:


Partitioning material




| For front height: | Part. No. |
|--------------------|-----------|
| 50 mm and higher | 08-50034 |
| 6 Troughs | 3-Trough |
| 10 Trough dividers | |
| 12 Troughs | 4-Trough |
| 30 Trough dividers | |




| For front height: | Part. No. |
|--------------------|-----------|
| 50 mm and higher | 08-50234 |
| 6 Troughs | 2-Trough |
| 6 Trough dividers | |
| 6 Troughs | 3-Trough |
| 10 Trough dividers | |
| 6 Troughs | 4-Trough |
| 15 Trough dividers | |




| For front height: | Part. No. |
|-------------------|------------|
| 50 mm | 08-51205 |
| 75 mm | 08-51207 |
| 100-125 mm | 08-51210 |
| 18 Plastic boxes | 150x150 mm |




| For front height: | Part. No. |
|-------------------|------------|
| 50 mm | 08-51405 |
| 75 mm | 08-51407 |
| 100-125 mm | 08-51410 |
| 12 Plastic boxes | 150x75 mm |
| 12 Plastic boxes | 150x150 mm |




| For front height: | Part. No. |
|----------------------|-----------|
| 50 mm | 08-53405 |
| 75 mm | 08-53407 |
| 100-125 mm | 08-53410 |
| 150 mm | 08-53415 |
| 200-250 mm | 08-53420 |
| 300 mm | 08-53430 |
| 4 Slotted partitions | 27 Eh |
| 2 Aluminium dividers | 9 Eh |
| 3 Aluminium dividers | 12 Eh |




| For front height: | Part. No. |
|-----------------------|-----------|
| 50 mm | 08-53505 |
| 75 mm | 08-53507 |
| 100-125 mm | 08-53510 |
| 150 mm | 08-53515 |
| 200-250 mm | 08-53520 |
| 300 mm | 08-53530 |
| 5 Slotted partitions | 27 Eh |
| 12 Aluminium dividers | 9 Eh |



| For front height: | Part. No. |
|-----------------------|-----------|
| 50 mm | 08-53705 |
| 75 mm | 08-53707 |
| 100-125 mm | 08-53710 |
| 7 Slotted partitions | 27 Eh |
| 12 Aluminium dividers | 6 Eh |
| 2 Aluminium dividers | 9 Eh |



| For front height: | Part. No. |
|-----------------------|-----------|
| 50 mm | 08-53805 |
| 75 mm | 08-53807 |
| 100-125 mm | 08-53810 |
| 8 Slotted partitions | 27 Eh |
| 12 Aluminium dividers | 6 Eh |



| For front height: | Part. No. |
|--------------------|-----------|
| 50 mm | 08-58405 |
| 75 mm | 08-58407 |
| 100-125 mm | 08-58410 |
| 150 mm | 08-58415 |
| 200-250 mm | 08-58420 |
| 4 Plain partitions | 27 Eh |



Details of partitioning material on page 112



Label holders not included



Standard examples with slotted partitions are supplied with fixings